


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

2026 CATALOGUE

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

The world of Architectural Lights

Neptune Lights … A tale of stylish LED Lights

Can you imagine a home with no lights? It doesn't even sound like home. Light acts as a medium for people to show things that they want to show in the way they wish to show. While bright lights add a different mood to the setting, dim lights tend to tell a separate tale. One can set the mood of their surroundings by only changing the lighting. That's the impact lights have. They can speak for the place!

One can say that light becomes an indispensable part of people's lives. And to be there for people to help them tell their stories is what we aim to do at Neptune Lights.

Our Story

Founded sometime in the 1980s, Neptune Lights was built with the vision to not just provide lighting solutions but to become a medium for people to express themselves. In 2011, we brought around revolutionary lighting solutions by incorporating LED lights. With the advent of LED, we soon became experts who specialize exclusively in LED technology.

LED is our passion… and we serve with conviction!

Apart from leveraging technology, we also combine our experience, precision, and quality control to provide our customers with innovative and high-quality products at competitive rates. Every product we manufacture is in accordance with the latest norms and standards, thus proving to be safe, reliable as well as economical.

Adding to our list of products, we provide a wide range of architectural lighting, interior lighting and exterior lighting for commercial and industrial buildings, retail, hotels, restaurants, etc.

So, if you are looking to enhance your space and wish to tell your story, then you can always get in touch with us. Explore the classiest and most sophisticated range of LED lighting solutions at Neptune Lights.

Thank You!
Neptune Lights

Neptune®
LIGHTS

ILLUMINATE YOUR LIFE

www.neptunelightsindia.com

THE HISTORY OF LIGHTING

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

1802
Humphry Davy
invented the Electrical Arc Lamp.






1840
Warren de la Rue
Built a light bulb using a platinum filament theat was coiled inside a vacuum tube.



1874
Henry Woodwar & Mathew Evans
Filed a patent for their carban rod lamps. but failed at creating a commercial version.



1878
Thomas Edison
Filed a patent under the label "Improvement in Electric Lights."



1879
Edison
Submittedanother patent.



1880
Edison
Began marketing and manufacturing the latest version of his bulb to commercial clients & built the first central power plant in the U.S.



1893
General Electric
Produced the first enclosed carbon arc lamp for commercial clients.




1893
Niekla Tesla
Demonstrated the possibility of wireless electricity, which he used to light a Geissler tube.



1901
Peter Cooper Hewitt
Introduced the Mercury-Vepor Lamp (gas discharge lamp).




1910
Georges Claude
Demonstrated Neon Lighting.



1926
Edmund Germer
Submitted his patent for the first fluorescent lamp.



1938
Fluorescent lighting
technology was commercialized.



1961
James Beard & Gary Pittman
Invented LEDs.



1962
Nick Holonyak, Jr.
produced the first LED that emitted light in a visible brand.



1972
M. George Craford
produced a yellow LED.



1979
Shuji Nakamura
Developed a blue LED.



1980
Philips
Released its SL model of the compact fluorescent lamp (CFL).



2006
LEDs
were finally a competitive lighting option.



2011-2012
The sale of replacement
LED Bulbs expanded by 22% globally.



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

TABLE OF CONTENTS

- Indoor Lights
  - LED Spot Light
  - LED Linear Light
  - LED Mini Spot Light
  - LED Cob Surface Light
  - LED Track Light
  - LED Down light
  - LED Panel Light
  - LED Surface Panel Light
- Magnetic Lights
  - Micro 5mm Magnetic Track
  - Micro 10mm Magnetic Track
  - Magnetic 20mm Track
  - Ultra Slim (Scale Type) Magnetic Track
  - FTS Magnetic Track
- Hanging Lights
- Profile
  - Aluminium Profile (Empty)
- Silicon Profile
  - Silicon Profile (Empty)
  - LED Silicon Profile Light (Neon)
- LED Strip Light
  - LED Strip CRI >80
  - LED Strip CRI >90
  - LED Rope Light
- Power Supply, Driver & Controller
  - LED Power Supply
  - AIR Smart Controller
  - AIR Remote
  - AIR Driver
  - BT-Mesh Driver
  - Zigbee Driver
  - Dali Driver
  - RGB Controller
- Mirror Lights
- Foot Lights
- Classic LED Bulb
- Sensor SNS Series
  - LED Panel Surface Light
  - Waedrobe Sensor
  - Motion Sensor

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

TABLE OF CONTENTS

Outdoor Lights


Outdoor Pro Series
Outdoor Recessed Light
Outdoor Surface Light
Outdoor Foot Light
Outdoor Wall Light
Outdoor Window Light
Outdoor Up-Down Light
Outdoor Spike Light
Outdoor Inground Light
Outdoor Gate Light
Outdoor Garden Bollard
Outdoor Street Light
Outdoor Flood Light
Outdoor Underwater Light


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
NeptuneAir®
Your smart home solution
Signature Collection

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection





QUICK









Aluminum Body | IP20 | CRI>92+ | Anti-Glare

NEPTUNE AIR - AIR012

Power	:	**7W(FIX)**	**12W(FIX)**	**18W(FIX)**
Body Color	:	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP
Dimension	:	D72xH42mm	D82xH47mm	D92xH57mm
Cutout	:	Ø65mm	Ø75mm	Ø85mm



TRIM

Power	:	**7W(TRIMLESS)**	**12W(TRIMLESS)**	**18W(TRIMLESS)**
Body Color	:	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP	WH+WH | BK+MATT BK WH+GB | BK+GB WH+CP | BK+CP
Dimension	:	D115xH42mm	D125xH47mm	D135xH57mm
Cutout	:	Ø65mm	Ø75mm	Ø85mm



TRIMLESS


Beam Angle	:	45°	45°	45°
Lumens	:	700LM±5%	1200LM±5%	1800LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD



CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NeptuneAir® Your smart home solution | Signature Collection





QUICK-C










Aluminum Body | IP20 | CRI>92+ | Anti-Glare

NEPTUNE AIR - AIR012

		2*7W	2*12W	2*18W
Power	:	2*7W	2*12W	2*18W
Body Color	:	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP
Dimension	:	L147xW79xH42mm	L167xW89xH47mm	L187xW99xH57mm
Cutout	:	ØL135xW65mm	ØL135xW75mm	ØL135xW85mm
Beam Angle	:	2x45°	2x45°	2x45°
Lumens	:	1400LM±5%	2400LM±5%	3600LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K










		3*7W	3*12W
Power	:	3*7W	3*12W
Body Color	:	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP
Dimension	:	L215xW79xH42mm	L245xW89xH42mm
Cutout	:	ØL200xW65mm	ØL230xW75mm
Beam Angle	:	3x45°	3x45°
Lumens	:	2100LM±5%	3600LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K




CONTROL SYSTEM: ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8






Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection




QUICK-S







		2*7W	2*12W	2*18W
Power	:	2*7W	2*12W	2*18W
Body Color	:	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP
Dimension	:	L147xW79xH42mm	L167xW89xH47mm	L187xW99xH57mm
Cutout	:	ØL135xW65mm	ØL135xW75mm	ØL135xW85mm
Beam Angle	:	2x45°	2x45°	2x45°
Lumens	:	1400LM±5%	2400LM±5%	3600LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K




NEPTUNE AIR - AIR012



		3*7W	3*12W
Power	:	3*7W	3*12W
Body Color	:	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP	WH+WH | WH+GB WH+CP | BK+MATT BK BK+GB | BK+CP
Dimension	:	L215xW79xH42mm	L245xW89xH42mm
Cutout	:	ØL200xW65mm	ØL230xW75mm
Beam Angle	:	3x45°	3x45°
Lumens	:	2100LM±5%	3600LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
LED Type	:	COB	COB





CONTROL SYSTEM: ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

REGAL





Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR009

Power	:	**8W**	**15W**	**20W**
Body Color	:	WH | GUN BK | MATT BK	WH | GUN BK | MATT BK	WH | GUN BK | MATT BK
Dimension	:	D66xH52mm	D80.5xH62mm	D92xH67mm
Cutout	:	Ø60mm	Ø75mm	Ø85mm
Beam Angle	:	24°	36°	36°
Lumens	:	760LM±5%	1425LM±5%	1900LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT-6 | DALI-DT-8

SHEEN





Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR004

Power	:	**8W**	**15W**
Body Color	:	BK | WH | GUN BK | BRASS	BK | WH | GUN BK | BRASS
Dimension	:	D71xH63mm	D88xH80mm
Cutout	:	Ø63mm	Ø80mm
Beam Angle	:	38°	38°
Lumens	:	720LM±5%	1350LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

TWINKLE

NeptuneAir® Your smart home solution | Signature Collection





Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR007

Power	:	**8W**	**15W**	**20W**
Body Color	:	WH | MATT BK | BROWN	WH | MATT BK | BROWN	WH | MATT BK | BROWN
Dimension	:	D61xH64.5mm	D75xH74.5mm	D88xH85mm
Cutout	:	Ø50mm	Ø62mm	Ø75mm
Beam Angle	:	36°	36°	36°
Lumens	:	720LM±5%	1350LM±5%	1800LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8





Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection





RINGO





TYPE-A

Power	:	**12W**	**18W**
Body Color	:	BLACK | WHITE	BLACK | WHITE
Dimension	:	D84xH65mm	D115xH90mm
Cutout	:	Ø45mm	Ø60mm





TYPE-B

12W		**18W**
BLACK | WHITE		BLACK | WHITE
D99xH65mm		D120xH90mm
Ø50mm		Ø65mm





TYPE-C


Power	:	**12W**	**18W**
Body Color	:	WHITE	WHITE
Dimension	:	D84xH65mm	D115xH90mm
Cutout	:	Ø42mm	Ø55mm





TYPE-D

12W	**18W**
WHITE	WHITE
D99xH65mm	D120xH90mm
Ø50mm	Ø70mm



Beam Angle	:	36°	36°
Lumens	:	1080LM±5%	1620LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8



TRIM TRIMLESS

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



CAVA

NeptuneAir® Your smart home solution | Signature Collection






Aluminum Body | IP20 | CRI>92+ | Anti-Glare

NEPTUNE AIR - AIR013

Power	:	**10W**	**15W**	**20W**
Body Color	:	WH | MATT BK | CHMPG	WH | MATT BK | CHMPG	WH | MATT BK | CHMPG
Dimension	:	D40xH98mm	D50xH110mm	D60xH115mm
Cutout	:	Ø35mm	Ø45mm	Ø55mm
Beam Angle	:	60°	60°	60°
Lumens	:	1000LM±5%	1500LM±5%	2000LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

WENDY





		10W	15W
Power	:		
Body Color	:	WH | GUN BK | COPPER | MATT BK	WH | GUN BK | COPPER | MATT BK
Dimension	:	D41xH90mm	D51xH105mm
Cutout	:	Ø35mm	Ø45mm
Beam Angle	:	36°	36°
Lumens	:	900LM±5%	1350LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT-6 | DALI-DT-8

PUNCH






		8W	15W
Power	:		
Body Color	:	WH | MATT BK | BROWN	WH | MATT BK | BROWN
Dimension	:	D49xH74.5mm	D60xH84.5mm
Cutout	:	Ø43mm	Ø55mm
Beam Angle	:	36°	36°
Lumens	:	765LM±5%	1275LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD

Control System : ON-OFF | 0-10V | 0-10V | DALI-DT6

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



VERTO-C

Signature Collection

















Power	:	**15W**
Body Color	:	WH | MATT BK
Dimension	:	D82xH79mm
Cutout	:	Ø75mm
Beam Angle	:	ASYMMETRIC
Lumens	:	1500LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 0-10V | DALI-DT6

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



NeptuneAir®
Your **smart** home solution

Signature Collection

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection







MODULE





Power	:	**7W(D75)**	**12W(D75)**	**18W(D75)**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D80xH79mm	D80xH96mm	D80xH96mm
Cutout	:	Ø75mm	Ø75mm	Ø75mm
Body Shape	:	RD	RD	RD





Power	:	**7W(D75)**	**12W(D75)**	**18W(D75)**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D80xH68mm	D80xH87mm	D80xH87mm
Cutout	:	Ø75mm	Ø75mm	Ø75mm
Body Shape	:	RD	RD	RD






Power	:	**7W(D75)**	**12W(D75)**	**18W(D75)**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D81X81xH76mm	D81x81xH95mm	D81x81xH95mm
Cutout	:	Ø75mm	Ø75mm	Ø75mm
Body Shape	:	SQ	SQ	SQ

Beam Angle	:	38°	38°	38°
Lumens	:	630LM±5%	1080LM±5%	1620LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8



NEPTUNE AIR - AIR006


DEEP


CURVE


SQUARE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection





MODULE





NEPTUNE AIR - AIR006



DOUBLE

Power	:	**2*7W(D75)**	**2*12W(D75)**	**2*18W(D75)**
Body Color	:	BK | WH | GOLD	BK | WH | GOLD	BK | WH | GOLD
Dimension	:	D161x83xH76mm	D161x83xH95mm	D161x83xH95mm
Cutout	:	Ø155*75mm	Ø155*75mm	Ø155*75mm
Beam Angle	:	2*38°	2*38°	2*38°
Body Shape	:	RECT	RECT	RECT
Lumens	:	1260LM±5%	2160LM±5%	3240LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
NeptuneAir®
Your smart home solution
Signature
Collection

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection







GLOW





Power	:	**10W**	**16W**	**22W**
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector		GUN BK | MATT WH | MATT BK	GUN BK | MATT WH | MATT BK	GUN BK | MATT WH | MATT BK
Dimension	:	D72xH82mm	D82xH92mm	D102xH93mm
Cutout	:	Ø65mm	Ø75mm	Ø85mm
Beam Angle	:	36°	36°	36°
Lumens	:	1000LM±5%	1600LM±5%	2200LM±5%


TRIM





Power	:	**10W**	**16W**	**22W**
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector	:	GUN BK | MATT WH | MATT BK	GUN BK | MATT WH | MATT BK	GUN BK | MATT WH | MATT BK
Dimension	:	D72xH82mm	D82xH92mm	D102xH93mm
Cutout	:	Ø65mm	Ø75mm	Ø85mm
Beam Angle	:	36°	36°	36°
Lumens	:	1000LM±5%	1600LM±5%	2200LM±5%


TRIMLESS




Power	:	**2*10W**	**2*16W**
Body Color	:	BK | WH	BK | WH
Reflector	:	GUN BK | MATT WH | MATT BK	GUN BK | MATT WH | MATT BK
Dimension	:	L120xW62xH82mm	L164xW84xH92mm
Cutout	:	Ø55mm	Ø75mm
Beam Angle	:	2*36°	2*36°
Lumens	:	2000LM±5%	3200LM±5%


GLOW-D

CCT	:	3K/4K/5K/6K	3K/4K/4K/5K	3K/4K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

Aluminum Body | IP20 | CRI>90+ | Anti-Glare


NEPTUNE AIR - AIR010

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

ZEN

NeptuneAir®
Your smart home solution





		7W	12W	18W
Power	:			
Body Color	:	BK | WH | COPPER	BK | WH | COPPER	BK | WH | COPPER
Dimension	:	D45xH50mm	D60xH67mm	D72xH75mm
Cutout	:	Ø40mm	Ø52mm	Ø60mm
Beam Angle	:	60°	60°	60°
Lumens	:	630LM±5%	1080LM±5%	1620LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

BEAT

NeptuneAir®
Your smart home solution






NEPTUNE AIR - AIR002

		8W(AIR-7W)	15W(AIR-12W)	20W(AIR-18W)
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D65xH45mm	D85xH55mm	D92xH65mm
Cutout	:	Ø55mm	Ø75mm	Ø85mm
Beam Angle	:	90°	90°	90°
Lumens	:	760LM±5%	1425LM±5%	1900LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

GRACE









Aluminum Body | IP20 | CRI>80+

		7W	12W	18W
Power	:			
Body Color	:	BK | WH | COPPER	BK | WH | COPPER	BK | WH | COPPER
Dimension	:	D59xH65mm	D85xH80mm	D100xH100mm
Cutout	:	Ø50mm	Ø75mm	Ø90mm
Beam Angle	:	38°	40°	60°
Lumens	:	700LM±5%	1200LM±5%	1800LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD


CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

GRACE CR










Aluminum Body | IP20 | CRI>80+ | Anti-Glare

NEPTUNE AIR - AIR001

REFLECTOR COLOR:




		7W	12W	20W	30W
Power	:				
Body Color	:	WH | BK	WH | BK	WH | BK	WH | BK
Reflector	:	MATT GD | CH.GD | COPPER RG | GUN BK MATT BK | MATT WH	MATT GD | CH.GD | COPPER RG | GUN BK MATT BK | MATT WH	MATT GD | CH.GD COPPER RG | GUN BK MATT BK | MATT WH	MATT GD | CH.GD COPPER RG | GUN BK MATT BK | MATT WH
Dimension	:	D75xH55mm	D85xH65mm	D95xH75mm	D121xH65mm
Cutout	:	Ø60mm	Ø75mm	Ø85mm	Ø110mm
Beam Angle	:	38°	38°	38°	38°
Lumens	:	700LM±5%	1200LM±5%	2000LM±5%	3000LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

GRACE DR






		7W	12W	20W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector	:	COPPER | CROME MATT WH | MATT BK	COPPER | CROME MATT WH | MATT BK	COPPER | CROME MATT WH | MATT BK
Dimension	:	D75xH55mm	D85xH65mm	D95xH75mm
Cutout	:	Ø60mm	Ø75mm	Ø85mm
Beam Angle	:	38°	38°	38°
Lumens	:	700LM±5%	1200LM±5%	2000LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

GRACE TL





		7W	12W
Power	:		
Body Color	:	BK | WH	BK | WH
Reflector	:	MATT GD | CH.GD | COPPER RG | GUN BK MATT BK | MATT WH	MATT GD | CH.GD | COPPER RG | GUN BK MATT BK | MATT WH
Dimension	:	D85xH55mm	D98xH65mm
Cutout	:	Ø75mm	Ø88mm
Beam Angle	:	38°	38°
Lumens	:	700LM±5%	1200LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8


Signature Collection


Neptune® LIGHTS
ILLUMINATE YOUR LIFE


VEGA-7W

VEGA-5W

VEGA-3W







10°

5°

3°







Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection







VEGA







Power	:	**3W**
Body Color	:	WH | BK
Dimension	:	D62xH35mm
Cutout	:	Ø50mm
Beam Angle	:	3°
Lumens	:	300LM±5%







Power	:	**5W**
Body Color	:	WH | BK
Dimension	:	D53xH40mm
Cutout	:	Ø45mm
Beam Angle	:	5°
Lumens	:	500LM±5%







Power	:	**7W**
Body Color	:	WH | BK
Dimension	:	D67xH72mm
Cutout	:	Ø60mm
Beam Angle	:	10°
Lumens	:	600LM±5%

CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 0-10V




Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
Signature
Collection

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir® Your smart home solution | Signature Collection







TERO





Power	:	**6W**	**10W**
Body Color	:	MATT WH | MATT BK PEARL WH | BRASS | CHAMPAGNE	MATT WH | MATT BK PEARL WH | BRASS | CHAMPAGNE
Dimension	:	D45xH50mm	D45xH70mm
Cutout	:	Ø35mm	Ø35mm



TERO-D





Power	:	**6W**	**10W**
Body Color	:	MATT WH | MATT BK PEARL WH | BRASS CHAMPAGNE	MATT WH | MATT BK PEARL WH | BRASS CHAMPAGNE
Dimension	:	D45xH50mm	D45xH70mm
Cutout	:	Ø35mm	Ø35mm



TERO-E





Power	:	**6W**	**10W**
Body Color	:	MATT WH | MATT BK BRASS | CHAMPAGNE	MATT WH | MATT BK BRASS | CHAMPAGNE
Dimension	:	D45xH50mm	D45xH70mm
Cutout	:	Ø35mm	Ø35mm



TERO-F

Beam Angle	:	36°	36°
Lumens	:	540LM±5%	900LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD



Aluminum Body | IP20 | CRI>90+ | Anti-Glare

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

Neptune® LIGHTS
ILLUMINATE YOUR LIFE




I-BALL

Signature Collection







Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**5W**	**10W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D52xH40mm	D74xH50mm
Cutout	:	Ø35mm	Ø45mm
Beam Angle	:	24°	24°
Lumens	:	400LM±5%	800LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

RAY







Power	:	**8W(8RT3)**	**12W(12RT5)**	**18W(18SQ9)**
Body Color	:	WH | BK	BK | WH	WH | BK
Dimension	:	D100x40xH42.2mm	D160x40xH42.2mm	D100x100xH42.2mm
Cutout	:	Ø95x35mm	Ø155x35mm	Ø95x95mm
Beam Angle	:	30°	30°	30°
Lumens	:	640LM±5%	960LM±5%	1440LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	SQ	SQ	SQ

CONTROL SYSTEM : ON-OFF | 1-10V





Power	:	**3W (3R1)**	**8W(8R3)**	**15W(15R7)**
Body Color	:	WH | BK	WH | BK	WH | BK
Dimension	:	D40xH32.1mm	D61xH42.5mm	D80xH55mm
Cutout	:	Ø35mm	Ø55mm	Ø75mm
Beam Angle	:	30°	30°	30°
Lumens	:	240LM±5%	640LM±5%	1200LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir®
Your smart home solution







LUMA







Aluminum Body | IP20 | CRI>80+

Power	:	**9W**	**15W**	**20W**
Body Color	:	WH | BK	WH | BK	WH | BK
Dimension	:	D53xH63mm	D68xH81mm	D80xH90mm
Cutout	:	Ø47mm	Ø62mm	Ø71mm
Beam Angle	:	45°	45°	45°
Lumens	:	900LM±5%	1500LM±5%	2000LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K

Power	:	**30W**	**50W**
Body Color	:	WH | BK	WH | BK
Dimension	:	D100xH111mm	D135xH133mm
Cutout	:	Ø91mm	Ø125mm
Beam Angle	:	45°	60°
Lumens	:	3000LM±5%	5000LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K

CONTROL SYSTEM: ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8





Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir®
Your smart home solution



TRITON






Power	:	**3W**	**7W**	**12W**	**18W**
Body Color	:	WH | BK	WH | BK	WH | BK	WH | BK
Dimension	:	D64xH49mm	D85xH60mm	D90xH60mm	D108xH70mm
Cutout	:	Ø55mm	Ø70mm	Ø70mm	Ø92mm
Beam Angle	:	60°	60°	60°	60°
Lumens	:	300LM±5%	700LM±5%	1200LM±5%	1800LM±5%
Body Shape	:	RD	RD	RD	RD





Power	:	**24W**	**30W**	**50W**
Body Color	:	WH | BK	WH | BK	WH | BK
Dimension	:	D128xH80mm	D160xH102mm	D160xH115mm
Cutout	:	Ø115mm	Ø135mm	Ø135mm
Beam Angle	:	60°	60°	60°
Lumens	:	2400LM±5%	3000LM±5%	5000LM±5%
Body Shape	:	RD	RD	RD



TRITON





Power	:	**2x7W**	**2x12W**	**2x18W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	190x108x26mm	190x108x26mm	231x129x26mm
Cutout	:	Ø170x88mm	Ø170x88mm	Ø211x109mm
Beam Angle	:	2x60°	2x60°	2x60°
Lumens	:	1250LM±5%	2160LM±5%	3240LM±5%
Body Shape	:	RECT	RECT	RECT



TRITON-D

CCT	:	3K/4K/5K/6K	3K/4K/4K/5K	3K/4K/4K/5K	3K/4K/4K/5K

Aluminum Body | IP20 | CRI>90+

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



Signature
Collection

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection







APEX





Power	:	**25W**		**35W**
Body Color	:	BK | WH		BK | WH
Dimension	:	D108xH100mm		D115xH110mm
Cutout	:	Ø100mm		Ø105mm
Beam Angle	:	38/60°		38/60°
Lumens	:	3125LM±5%		4375LM±5%
Body Shape	:	RD		RD





Power	:	**25W**		**35W**
Body Color	:	BK WH		BK WH
Dimension	:	D118xH100mm		D125xH110mm
Cutout	:	Ø105mm		Ø110mm
Beam Angle	:	38/60°		38/60°
Lumens	:	3125LM±5%		4375LM±5%
Body Shape	:	RD		RD





Power	:	**2x25W**		**2x35W**
Body Color	:	BK WH		BK WH
Dimension	:	259x134x100mm		266x141x111mm
Cutout	:	Ø245x120mm		Ø250x125mm
Beam Angle	:	2x38°/2x60°		2x38°/2x60°
Lumens	:	1000LM±5%		1600LM±5%
Body Shape	:	RECT		RECT

CCT	:	3K/4K/5K/6K		3K/4K/4K/5K

CONTROL SYSTEM : ON-OFF | DALI-DT6 | 1-10V



APEX-C



APEX-M



APEX-D


Aluminum Body | IP20 | CRI>90+

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection




ZENITH












		8W	15W	20W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector	:	WH | SS GREY | MATT GD | MATT BK	WH | SS GREY MATT GD | MATT BK	WH | SS GREY MATT GD | MATT BK
Dimension	:	L70x40xH51mm	L100x40xH51mm	L150x40xH51mm
Cutout	:	Ø63x33mm	Ø93x33mm	Ø143x33mm
Beam Angle	:	50°	50°	50°
Lumens	:	720LM±5%	1350LM±5%	1980LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RECT	RECT	RECT

CONTROL SYSTEM : ON-OFF | DALI-DT6 | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE


Signature Collection







ZENITH



Aluminum Body | IP20 | CRI>90+ | Anti-Glare





WITH GLASS


		8W	15W	20W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector	:	SS GREY | MATT GD | MATT BK	SS GREY | MATT GD | MATT BK	SS GREY | MATT GD | MATT BK
Glass Ring	:	WH | BK | SILVER | COPPER	WH | BK | SILVER | COPPER	WH | BK | SILVER | COPPER
Dimension	:	L86x56x56mm	L116x40x56mm	L166x40x56mm
Cutout	:	Ø63x33mm	Ø93x33mm	Ø143x33mm
Beam Angle	:	50°	50°	50°
Lumens	:	680LM±5%	1275LM±5%	1870LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RECT	RECT	RECT

CONTROL SYSTEM : ON-OFF | DALI-DT6 | 1-10V

CUBE








Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR008





		3x3W	5x3W	10x3W
Power	:	**3x3W**	**5x3W**	**10x3W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	101x41xH40mm	160x41xH40mm	310x41xH40mm
Cutout	:	Ø93x33mm	Ø152x32mm	Ø330x30mm
Beam Angle	:	36°	36°	36°
Lumens	:	765LM±5%	1275LM±5%	2550LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	SQ	SQ	SQ

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8


PRISM







Aluminum Body | IP20 | CRI>80+





		12W	2x12W	3x12W
Power	:	**12W**	**2x12W**	**3x12W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D87x87xH65mm	D156x87xH65mm	D225x87xH65mm
Cutout	:	Ø73x73mm	Ø140x70mm	Ø215x75mm
Beam Angle	:	45°	45°	45°
Lumens	:	1080LM±5%	2160LM±5%	3240LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	SQ	RECT	RECT

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT-6 | DALI-DT-8

PRISM-S














Aluminum Body | IP20 | CRI>80+


Power	:	**6W**	**2x6W**	**3x6W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	L65x65xH45mm	L115x65xH45mm	L155x65xH45mm
Cutout	:	Ø54x54mm	Ø104x54mm	Ø148x54mm
Beam Angle	:	45°	45°	45°
Lumens	:	540LM±5%	1080LM±5%	1620LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	SQ	RECT	RECT


CONTROL SYSTEM : ON-OFF | 1-10V

PRISM-XS















Aluminum Body | IP20 | CRI>80+

Power	:	**3W**	**2x3W**	**3x3W**	**5x3W**
Body Color	:	WH | BK	WH | BK	WH | BK	WH | BK
Dimension	:	D45x45xH42mm	D75x45xH42mm	D105x45xH42mm	D147x45xH42mm
Cutout	:	Ø35x35mm	Ø66x35mm	Ø95x35mm	Ø138x35mm
Beam Angle	:	60°	60°	60°	60°
Lumens	:	270LM±5%	540LM±5%	810LM±5%	1350LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	SQ	RECT	RECT	RECT

CONTROL SYSTEM : ON-OFF | 1-10V

ELITE







Power	:	**12W**	**2x12W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D98x98xH93mm	D178x98xH93mm
Cutout	:	Ø90x90mm	Ø168x90mm
Beam Angle	:	38°	2x38°
Lumens	:	1020LM±5%	2040LM±5%
CCT	:	3K/4K/6K	3K/4K/6K
Body Shape	:	SQ	RECT

CONTROL SYSTEM : ON-OFF | 1-10V

ROCKET

NeptuneAir®
Your smart home solution







Power	:	**12W**	**2x12W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D90xH102mm	D175x90xH102mm
Cutout	:	Ø82mm	Ø166x82mm
Beam Angle	:	38°	2x38°
Lumens	:	1080LM±5%	2160LM±5%
CCT	:	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD

Control System : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
NeptuneAir®
Your smart home solution

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir®
Your smart home solution





SPY







Aluminum Body | IP20 | CRI>90+

		7W	12W	20W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D61.6xH79mm	D84xH100.5mm	D110xH121.5mm
Cutout	:	Ø55mm	Ø75mm	Ø95mm
Beam Angle	:	24°	38°	38°
Lumens	:	630LM±5%	1080LM±5%	1800LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD



SPY







		2x7W	2x12W	2x20W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D129.5x68.5xH84mm	D180x90.5xH111.7mm	D223.5x109.5xH133.5mm
Cutout	:	Ø120x55mm	Ø165x75mm	Ø210x92mm
Beam Angle	:	2x38°	2x38°	2x38°
Lumens	:	1260LM±5%	2160LM±5%	3600LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RECT	RECT	RECT



SPY DOUBLE

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



ZOOM





Power	:	**18W**	**30W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D110xH90mm	D165xH140mm
Cutout	:	Ø98mm	Ø148mm
Beam Angle	:	38°	38°
Lumens	:	1620LM±5%	2700LM±5%
CCT	:	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | DALI-DT6 | 1-10V

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



ZINO





Note: Requires External DC 12V Power Supply.

Power	:	**1W**
Body Color	:	WH | GUN BK | COPPER
Dimension	:	D22xH39mm
Cutout	:	Ø18mm
Beam Angle	:	36°
Lumens	:	100LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V

DOT





Power	:	**5W**
Body Color	:	BK | WH | BROWN
Dimension	:	D42xH37mm
Cutout	:	Ø35mm
Beam Angle	:	36°
Lumens	:	450LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V





GINI







Aluminum Body | IP20 | CRI>80+



Power	:	**3W**
Body Color	:	WH | BK | COPPER
Dimension	:	D36xH34mm
Cutout	:	Ø32mm
Beam Angle	:	36°
Lumens	:	270LM±5%









Power	:	**5W**
Body Color	:	WH | BK | COPPER
Dimension	:	D45xH38mm
Cutout	:	Ø40mm
Beam Angle	:	24°
Lumens	:	450LM±5%

CCT	:	3K/4K/6K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V

PIN



Power	:	**3W**
Body Color	:	WH | GUN BK COPPER | CH.GD
Dimension	:	D35xH17mm
Cutout	:	Ø30mm
Beam Angle	:	36°
Lumens	:	240LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V




- Driver Less.

MINNIE



Power	:	**1W**
Body Color	:	WH
Dimension	:	D30xH26mm
Cutout	:	Ø25mm
Beam Angle	:	38°
Lumens	:	90LM±5%
CCT	:	3K/4K/6K/GR /BL/RD/PINK
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V



- Driver Less.

TINY



Power	:	**2W**
Body Color	:	WH
Dimension	:	D35xH30mm
Cutout	:	Ø30mm
Beam Angle	:	38°
Lumens	:	180LM±5%
CCT	:	3K/4K/6K/GR /BL/RD/PINK
Body Shape	:	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V



- Driver Less.

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



AERO

Signature Collection





Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**10W**	**15W**
Body Color	:	SS GREY | SS BRASS	SS GREY | SS BRASS
Dimension	:	D35xH140mm	D45xH158mm
Cutout	:	N/A	N/A
Beam Angle	:	36°	36°
Lumens	:	1000LM±5%	1500LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V


VERTO-S


Signature Collection





Aluminum Body | IP20 | CRI>90+ | Anti-Glare





Power	:	**15W**
Body Color	:	MATT BK | WH
Dimension	:	D75x115mm
Cutout	:	ASYMMETRIC
Beam Angle	:	38°
Lumens	:	1500LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V | DALI-DT6

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE





BRAVO







Power	:	**8W**	**15W**
Body Color	:	BROWN | MATT BK	BROWN | MATT BK
Dimension	:	D80xH67mm	D80xH85mm
Cutout	:	N/A	N/A
Beam Angle	:	60°	60°
Lumens	:	800LM±5%	1500LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

ZENITH-S





Power	:	**12W**	**18W**
Body Color	:	WH+WH | BK+MATT BK	WH+WH | BK+MATT BK
Dimension	:	D102x42x57mm	D152x42x57mm
Cutout	:	N/A	N/A
Beam Angle	:	50°	50°
Lumens	:	1200LM±5%	1800LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RECT	RECT

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection

APEX-S







Aluminum Body | IP20 | CRI>90+

Power	:	**25W**	**35W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D94xH207mm	D101xH217mm
Cutout	:	N/A	N/A
Beam Angle	:	36°	36°
Lumens	:	2500LM±5%	3500LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD
Control System	:	ON-OFF | 1-10V	



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



BEAM

Signature Collection





Aluminum Body | IP20 | CRI>90+

SURFACE & HANGING

Power	:	**7W**	**12W**	**18W**
Body Color	:	WH+GUN BK SS GREY+GUN BK BROWN+GUN BK	WH+GUN BK SS GREY+GUN BK BROWN+GUN BK	WH+GUN BK SS GREY+GUN BK BROWN+GUN BK
Dimension	:	D58xH67mm	D72xH80mm	D85xH88mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	36°	36°	36°
Lumens	:	630LM±5%	1080LM±5%	1620LM±5%
CCT	:	3K/4K	3K/4K	3K/4K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



RADIANT

Signature Collection







Aluminum Body | IP20 | CRI>90+

SURFACE & HANGING


Power	:	**10W**	**15W**
Body Color	:	WH+WH+WH BK+BK+SAND GD	WH+WH+WH BK+BK+SAND GD
Dimension	:	D60xH93mm	D75xH103mm
Cutout	:	N/A	N/A
Beam Angle	:	36°	36°
Lumens	:	900LM±5%	1350LM±5%
CCT	:	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD


CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



CURVE





Aluminum Body | IP20 | CRI>90+

SURFACE & HANGING

Power	:	**7W**	**12W**
Body Color	:	GUN BK | BRASS	GUN BK | BRASS
		GUN BK+AB	GUN BK+AB
		GUN BK+SS GREY	GUN BK+SS GREY
Dimension	:	D63xH53mm	D84xH60mm
Cutout	:	N/A	N/A
Beam Angle	:	36°	36°
Lumens	:	700LM±5%	1200LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



BEAT SF










Aluminum Body | IP20 | CRI>80+

		8W	15W	20W
Power	:			
Body Color	:	WH | GUN BK | BRASS	WH | GUN BK | BRASS	WH | GUN BK | BRASS
Dimension	:	D58xH57mm	D72xH69mm	D85xH77mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	90°	90°	90°
Lumens	:	720LM±5%	1350LM±5%	1800LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V





DRUM










Power	:	**3W**	**7W**	**12W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D46xH57mm	D55xH60mm	D68xH68mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	38°	38°	38°
Lumens	:	270LM±5%	630LM±5%	1080LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD	RD














Power	:	**7W**	**12W**	**2x7W**	**2x12W**
Body Color	:	BK WH	BK WH	BK WH	BK WH
Dimension	:	D55x55xH57mm	D70x70xH70mm	D110x55xH57mm	D140x70xH70mm
Cutout	:	N/A	N/A	N/A	N/A
Beam Angle	:	38°	38°	2x38°	2x38°
Lumens	:	630LM±5%	1080LM±5%	1260LM±5%	2160LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	SQ	SQ	SQ	SQ

CONTROL SYSTEM : ON-OFF | 1-10V

GRACE CR SF







Power	:	**7W**		**12W**		**20W**	**30W**
Body Color	:	BK | WH		BK | WH		BK | WH	BK | WH
Reflector	:	MATT GD | CH.GD MATT WH | COPPER(RG) MATT BK | GUN BK		MATT GD | CH.GD MATT WH | COPPER(RG) MATT BK | GUN BK		MATT GD | CH.GD MATT WH | COPPER(RG) MATT BK | GUN BK	MATT GD | CH.GD MATT WH | COPPER(RG) MATT BK | GUN BK
Dimension	:	D60xH85mm		D75xH95mm		D86xH110mm	D107xH165mm
Cutout	:	N/A		N/A		N/A	N/A
Beam Angle	:	38°		38°		38°	38°
Lumens	:	700LM±5%		1200LM±5%		2000LM±5%	3000LM±5%
CCT	:	3K/4K/5K/6K		3K/4K/5K/6K		3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD		RD		RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

GRACE DR SF







Power	:	**7W**	**12W**	**20W**
Body Color	:	BK | WH	BK | WH	BK | WH
Reflector	:	MATT WH | MATT BK COPPER(RG) | CROME	MATT WH | MATT BK COPPER(RG) | CROME	MATT WH | MATT BK COPPER(RG) | CROME
Dimension	:	L60xH85mm	L75xH95mm	L86xH110mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	38°	38°	38°
Lumens	:	700LM±5%	1200LM±5%	2000LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

CERA







Aluminum Body | IP20 | CRI>80+

Power	:	**9W**	**16W**	**24W**
Body Color	:	BK | WH | BRASS	BK | WH | BRASS	BK | WH | BRASS
Dimension	:	D90xH75mm	D120xH75mm	D140xH75mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	120°	120°	120°
Lumens	:	855LM±5%	1520LM±5%	2280LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

SPIN









Aluminum Body | IP20 | CRI>80+

Power	:	**7W**	**12W**	**18W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D70xH87mm	D85xH106mm	D100xH122mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	60°	60°	60°
Lumens	:	700LM±5%	1200LM±5%	1800LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE







BAMBOO







Power	:	**7W**	**12W**	**18W**
Body Color	:	SS GREY AB | BROWN	SS GREY AB | BROWN	SS GREY AB | BROWN
Dimension	:	D45xH100mm	D55xH120mm	D65xH140mm







Power	:	**7W**	**12W**	**18W**
Body Color	:	SS GREY AB | BROWN	SS GREY AB | BROWN	SS GREY AB | BROWN
Dimension	:	D45xH100mm	D55xH120mm	D65xH140mm







Power	:	**7W**	**12W**	**18W**
Body Color	:	SS GREY AB | BROWN	SS GREY AB | BROWN	SS GREY AB | BROWN
Dimension	:	D45xH100mm	D55xH120mm	D65xH140mm

Cutout	:	N/A	N/A	N/A
Beam Angle	:	36°	36°	36°
Lumens	:	700LM±5%	1200LM±5%	1800LM±5%
CCT	:	3K/4K	3K/4K	3K/4K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8



SURFACE



WALL/CEILING



TRACK



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



CORE









Aluminum Body | IP20 | CRI>80+

Power	:	**7W**	**12W**
Body Color	:	GUN BK | COPPER SHINING GD	GUN BK | COPPER SHINING GD
Dimension	:	D55xH63mm	D65xH63mm
Cutout	:	N/A	N/A
Beam Angle	:	38°	38°
Lumens	:	630LM±5%	1080LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD
Control System	:	ON-OFF | 1-10V	

ROSA





		8W	15W
Power	:	**8W**	**15W**
Body Color	:	BRASS | SS SILVER GUN BK	BRASS | SS SILVER GUN BK
Dimension	:	D45xH160mm	D45xH180mm
Cutout	:	N/A	N/A
Beam Angle	:	38°	38°
Lumens	:	720LM±5%	1350LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

EVO





Power	:	**2x8W**
Body Color	:	SHINING GOLD CHAMPAGNE
Dimension	:	W155xH350mm D40x163MM
Cutout	:	N/A
Beam Angle	:	38°
Lumens	:	1600LM±5%
CCT	:	3K/4K/5K/6K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection

BOLT






Aluminum Body | IP20 | CRI>90+

Power	:	**12W**
Body Color	:	BK | WH
Dimension	:	D55xH210mm
Cutout	:	N/A
Beam Angle	:	38°
Lumens	:	1020LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF | 1-10V



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection





IGNIS







Power	:	**6W**	**10W**	**15W**
Body Color	:	MATT BK GUN BK BROWN	MATT BK GUN BK BROWN	MATT BK GUN BK BROWN
Dimension	:	D35xH80mm	D45xH100mm	D55xH100mm
Cutout	:	N/A	N/A	N/A







Power	:	**6W**	**10W**	**15W**
Body Color	:	MATT BK GUN BK BROWN	MATT BK GUN BK BROWN	MATT BK GUN BK BROWN
Dimension	:	D35xH80mm	D45xH100mm	D55xH100mm
Cutout	:	D30mm	D40mm	D50mm

Beam Angle	:	36°	36°	36°
Lumens	:	600LM±5%	1000LM±5%	1500LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V





WALL/CEILING



RECESSED

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



BULLET











Power	:	**7W**	**12W**
Body Color	:	BK | WH | COPPER	BK | WH | COPPER
Dimension	:	D50xH75mm	D50xH90mm
Cutout	:	N/A	N/A
Beam Angle	:	38°	38°
Lumens	:	630LM±5%	1080LM±5%
CCT	:	3K/4K/6K	3K/4K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

CANNON









CEILING & TRACK BASE


		12W	20W	30W
Power	:			
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D64xH115mm	D80xH135mm	D90xH155mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	36°	45°	45°
Lumens	:	1080LM±5%	1800LM±5%	2700LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

MAGNUM









		20W	30W
Power	:		
Body Color	:	BK | WH	BK | WH
Dimension	:	D158x80xH110mm	D170x100xH140mm
Cutout	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	1800LM±5%	2700LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection

APEX-T







Aluminum Body | IP20 | CRI>90+

Power	:	**25W**	**35W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D90xH172xH207mm	D97xH172xH204mm
Cutout	:	N/A	N/A
Beam Angle	:	38°	60°
Lumens	:	3125LM±5%	4375LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V




TRACK ACCESSORIES



TRACK PATTI

		E CLASS	S CLASS
Type	:		
Body Color	:	BK | WH	BK | WH
Dimension	:	220GM FOR 1MTR	310GM FOR 1MTR
Length	:	1MTR/2MTR	1MTR/2MTR

CONTROL SYSTEM : N/A



		L SHAPE	I SHAPE
Type	:		
Body Color	:	BK | WH	BK | WH

CONTROL SYSTEM : N/A



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

PRIME










Aluminum Body | IP20 | CRI>80+

		12W	18W	24W
Power	:	**12W**	**18W**	**24W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D85xH45mm	D115xH45mm	D165xH45mm
Cutout	:	Ø75mm	Ø105mm	Ø155mm
Beam Angle	:	110°	110°	110°
Lumens	:	1200LM±5%	1800LM±5%	2400LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V



NOBLE








Aluminum Body | IP20 | CRI>80+


NEPTUNE AIR - AIR005

Power	:	**15W**	**22W**
Body Color	:	BK | WH	BK | WH
Dimension	:	D120xH53mm	D155xH60mm
Cutout	:	Ø112mm	Ø147mm
Beam Angle	:	110°	110°
Lumens	:	1500LM±5%	2200LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

AQUA







Aluminum Body | IP20 | CRI>80+

NEPTUNE AIR - AIR011

Power	:	**12W**	**18W**	**24W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension(RD)	:	D110xH50mm	D145xH50mm	D168xH50mm
Dimension(SQ)	:	D110x110xH50mm	D145x145xH50mm	D168x168xH50mm
Cutout	:	Ø102mm	Ø137mm	Ø155mm
Beam Angle	:	110°	110°	110°
Lumens	:	1140LM±5%	1710LM±5%	2280LM±5%
CCT	:	3K/4K/5K/6K	3K/4K/5K/6K	3K/4K/5K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ


CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NeptuneAir®
Your smart home solution

JAZZ







NEPTUNE AIR - AIR003

Power	:	**12W**		**18W**		**24W**		**32W**
Body Color	:	BK | WH		BK | WH		BK | WH		BK | WH
Dimension	:	D82xH43mm		D102xH47mm		D132xH55.5mm		D162xH61mm
Cutout	:	Ø75mm		Ø95mm		Ø125mm		Ø155mm
Beam Angle	:	110°		110°		110°		110°
Lumens	:	1200LM±5%		1800LM±5%		2400LM±5%		3200LM±5%
CCT	:	3K/4K/5K/6K		3K/4K/5K/6K		3K/4K/5K/6K		3K/4K/5K/6K
Body Shape	:	RD		RD		RD		RD

CONTROL SYSTEM: ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI-DT6 | DALI-DT8

CREST








Power	:	**12W**		**18W**		**24W**		**32W**
Body Color	:	BK | WH		BK | WH		BK | WH		BK | WH
Dimension	:	D115xH24mm		D135xH24mm		D165xH24mm		D215xH24mm
Cutout	:	Ø105mm		Ø125mm		Ø155mm		Ø205mm
Beam Angle	:	110°		110°		110°		110°
Lumens	:	1200LM±5%		1800LM±5%		2400LM±5%		3200LM±5%
CCT	:	4K/5K/6K		4K/5K/6K		4K/5K/6K		4K/5K/6K
Body Shape	:	RD		RD		RD		RD

CONTROL SYSTEM: ON-OFF | 1-10V

OPERA









Power	:	**8W**	**15W**	**22W**
Body Color	:	WH	WH	WH
Dimension	:	D111xH111mm	D140xH140mm	D160xH160mm
Cutout	:	Ø94x94mm	Ø123x123mm	Ø143x143mm
Beam Angle	:	120°	120°	120°
Lumens	:	720LM±5%	1350LM±5%	1980LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

NEO











Power	:	**6W**	**12W**	**18W**
Body Color	:	WH	WH	WH
Dimension	:	D115xH115mm	D145xH145mm	D165xH165mm
Cutout	:	Ø105x105mm	Ø135x135mm	Ø155x155mm
Beam Angle	:	24°	24°	24°
Lumens	:	540LM±5%	1080LM±5%	1620LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

JOY









Aluminum Body | IP20 | CRI>80+

Power	:	**8W**		**15W**		**22W**		**30W**
Body Color	:	WH		WH		WH		WH
Dimension	:	D90xH90mm		D145xH145mm		D170xH170mm		D225xH225mm
Cutout	:	Ø75x75mm		Ø125x125mm		Ø155x155mm		Ø205x205mm
Beam Angle	:	120°		120°		120°		120°
Lumens	:	680LM±5%		1275LM±5%		1870LM±5%		2550LM±5%
CCT	:	3K/4K/6K		3K/4K/6K		3K/4K/6K		3K/4K/6K
Body Shape	:	RD/SQ		RD/SQ		RD/SQ		RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

NEXA









Aluminum Body | IP20 | CRI>80+

Power	:	**8W**		**15W**		**22W**		**30W**
Body Color	:	WH		WH		WH		WH
Dimension	:	D120xH120mm		D170xH170mm		D225xH225mm		D300xH300mm
Cutout	:	Ø100x100mm		Ø155x155mm		Ø205x205mm		Ø280x280mm
Beam Angle	:	120°		120°		120°		120°
Lumens	:	680LM±5%		1275LM±5%		1870LM±5%		2550LM±5%
CCT	:	3K/4K/6K		3K/4K/6K		3K/4K/6K		3K/4K/6K
CCT	:	3IN1(SWITCH)		3IN1(SWITCH)		-		-
Body Shape	:	RD/SQ		RD/SQ		RD/SQ		RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NEXUS 2x2





Aluminum Body | IP20 | CRI>80+

NEXUS (SURFACE FRAME)



Power	:	**48W**
Body Color	:	WH
Dimension	:	D595x595mm
Cutout	:	Ø590x590mm
Beam Angle	:	120°
Lumens	:	3840LM±5%
CCT	:	3K/4K/6K
Body Shape	:	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

JOY SF









Power	:	**8W**	**15W**	**22W**
Body Color	:	WH	WH	WH
Dimension	:	D90xH90mm	D145xH145mm	D170xH170mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	120°	120°	120°
Lumens	:	720LM±5%	1350LM±5%	1980LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

NEXA SF










Power	:	**8W**	**15W**	**22W**
Body Color	:	WH	WH	WH
Dimension	:	D120x120mm	D170x170mm	D225x225mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	120°	120°	120°
Lumens	:	720LM±5%	1350LM±5%	1980LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



IRIS SF










Aluminum Body | IP20 | CRI>80+

		8W	15W	22W
Power	:	**8W**	**15W**	**22W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	D95x95xH32mm	D153x153xH35mm	D178x178xH35mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	120°	120°	120°
Lumens	:	720LM±5%	1350LM±5%	1980LM±5%
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	RD/SQ	RD/SQ	RD/SQ

CONTROL SYSTEM : ON-OFF | 1-10V


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
Signature
Collection

MICRO-05



SM SURFACE(5mm)

Body Color	:	**MATT BK**	**MATT BK**	**MATT BK**
Dimension	:	1000x12x20.7mm	2000x12x20.7mm	3000x12x20.7mm
Length	:	1MTR	2MTR	3MTR



Type : **C TO C CORNER**
Body Color : BK
Dimension : 50x50mm



Type : **W TO C CORNER**
Body Color : BK
Dimension : 50x50mm



Type : **3 SIDE T JOINTER**
Body Color : BK
Dimension : 50x100mm



Type : **4 SIDE + JOINTER**
Body Color : BK
Dimension : 100x100mm



Type : **HALF ROUND 600 SM C TO C**
Body Color : BK
Dimension : L100xD600xL100



Type : **HALF ROUND 1000 SM C TO C**
Body Color : BK
Dimension : L100xD1000xL100



Type : **ARC 600 SM C TO C**
Body Color : BK
Dimension : L100xD600xL100



Type : **ARC 1000 SM C TO C**
Body Color : BK
Dimension : L100xD1000xL100



Type : **ARC 600 SM W TO C**
Body Color : BK
Dimension : L100xD600xL100



Type : **FULL CIRCLE 600 SM**
Body Color : BK
Dimension : D600xW11xH20.7mm




Type : **HANGING KIT**
Body Color : BK
Dimension : 2MTR


MICRO-05







Type : TWO TRACK HANGER
Body Color : BK
Dimension : D33mm




Type : ONE TRACK HANGER
Body Color : BK
Dimension : D33mm



Type : HANGER DRIVER BOX
Body Color : BK
Dimension : N/A


MICRO-05

Neptune® LIGHTS
ILLUMINATE YOUR LIFE
Signature Collection




RM RECSSED(5mm)

Body Color	:	**MATT BK**	**MATT BK**	**MATT BK**
Dimension	:	1000x47x20.7mm	2000x47x20.7mm	3000x47x20.7mm
Length	:	1MTR	2MTR	3MTR



Type : **RM C TO C CORNER**
Body Color : BK
Dimension : 50x50mm



Type : **RM W TO C CORNER**
Body Color : BK
Dimension : 50x50mm



Type : **HALF ROUND 600 RM C TO C**
Body Color : BK
Dimension : L100xD600xL100



Type : **HALF ROUND 1000 RM C TO C**
Body Color : BK
Dimension : L100xD1000xL100




Type : **ARC 600 RM C TO C**
Body Color : BK
Dimension : L100xD600xL100



Type : **ARC 1000 RM C TO C**
Body Color : BK
Dimension : L100xD1000xL100




Type : **INPUT MODULE**
Body Color : BK
Dimension : N/A




Type : **STRAIGHT MODULE**
Body Color : BK
Dimension : N/A




Type : **CORNER MODULE** N/A
Body Color : BK
Dimension : N/A



Type : **(T)3 SIDE MODULE** N/A
Body Color : BK
Dimension : N/A





Type : **(+)4 SIDE MODULE** N/A
Body Color : BK
Dimension : N/A



Type : **POWER SUPPLY**
Power : 150W
Body Color : BK
Dimension : D85xH25mm
Output : DC 48V, 3.1A

MICRO-05







MICRO 105(5MM)

Aluminum Body | IP20 | CRI>90

Power	:	7W
Body Color	:	MATT BK
Dimension	:	L274xW4.8xH15mm
Cutout	:	N/A
Beam Angle	:	100°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF






MICRO 115(5MM)


Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	7W
Body Color	:	MATT BK
Dimension	:	L274xW4.8xH15mm
Cutout	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

MICRO-05






MICRO 125(5MM)


Suspended Linear Track Light

Aluminum Body | IP20 | CRI>90

Power	:	**14W**
Body Color	:	MATT BK
Dimension	:	L388xW11.5xH32mm
Cutout	:	N/A
Beam Angle	:	100°
Lumens	:	1260LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF





MICRO 135(5MM)


Suspended Linear Track Light

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**14W**
Body Color	:	MATT BK
Dimension	:	L388xW11.5xH32mm
Cutout	:	N/A
Beam Angle	:	24°
Lumens	:	1260LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

MICRO-05





MICRO 145(5MM)

Aluminum Body | IP20 | CRI>90

Power	:	**9W**	**18W**
Body Color	:	WH	WH
Dimension	:	L1000xW5xH15mm	L2000xW5xH15mm
Length	:	1MTR	2MTR
Beam Angle	:	360°	360°
Lumens	:	810LM±5%	1620LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	N/A	N/A

CONTROL SYSTEM : ON-OFF





MICRO 155(5MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**10W**
Body Color	:	MATT BK
Dimension	:	L196xW67xH11mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

MICRO-05





MICRO 165(5MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**5W**	**9W**
Body Color	:	MATT BK	MATT BK
Dimension	:	D30xL80mm	D45xL100mm
Length	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	450LM±5%	900LM±5%
CCT	:	3K/4K	3K/4K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF





MICRO 175(5MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**7W**
Body Color	:	MATT BK
Dimension	:	D62x38mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF

MICRO-05





MICRO 185(5MM)

Aluminum Body | IP20 | CRI>90

Power	:	8W
Body Color	:	BK
Dimension	:	D96x30mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	720LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF





MICRO 195(5MM)


Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**7W**
Body Color	:	MATT BK
Dimension	:	D100xH60mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF

MICRO-05





MICRO 205(5MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**7W**
Body Color	:	BK
Dimension	:	D100xH60mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	RD
Control System	:	ON-OFF





MICRO 215(5MM)

Aluminum Body | IP20 | CRI>90

Power	:	**10W**
Body Color	:	WH
Dimension	:	D30xH300mm
Length	:	N/A
Beam Angle	:	270°
Lumens	:	900LM±5%
CCT	:	3K/4K
Body Shape	:	N/A
Control System	:	ON-OFF


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

MICRO-05





MICRO 225(5MM)

Aluminum Body | IP20 | CRI>90

FOR SURFACE TACK ONLY

Power	:	**5W**
Body Color	:	WH
Dimension	:	D100x173mm
Length	:	N/A
Beam Angle	:	360°
Lumens	:	450LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF





MICRO 235(5MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

FOR SURFACE TACK ONLY

Power	:	**5W**
Body Color	:	BK
Dimension	:	D33x74mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	450LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE





Signature
Collection

MICRO-10


SM SURFACE(10mm)









Body Color	:	**BK**		**BK**		**BK**
Dimension	:	17x18.14x1000mm		17x18.14x2000mm		17x18.14x3000mm
Length	:	1MTR		2MTR		3MTR




Type : **W TO C CORNER**
Body Color : BK
Dimension : 70x70mm



Type : **C TO C CORNER**
Body Color : BK
Dimension : 70x70mm



Type : **CURVE CORNER**
Body Color : BK
Dimension : 100mm



Type : **CURVE CORNER**
Body Color : BK
Dimension : 300mm



Type : **TRACK JOINTER**
Body Color : BK
Dimension : N/A



Type : **T-CORNER SF-02**
Body Color : BK
Dimension : N/A



Type : **T-CORNER SF-03**
Body Color : BK
Dimension : N/A





Type : **HAN**GING KIT
Body Color : BK
Dimension : 1.2MTR

MICRO-10


RM RECSSED(10mm)








Body Color	:	**BK**	**BK**	**BK**
DimensionLength	:	50x33x1000mm	50x33x2000mm	50x33x3000mm
Length	:	1MTR	2MTR	3MTR



Type : **W TO C CORNER**
Body Color :: BK
Dimension : 70x70mm




Type : **C TO C CORNER**
Body Color :: BK
Dimension : 70x70mm




Type : **CURVE CORNER**
Body Color :: BK
Dimension : 100mm




Type : **CURVE CORNER**
Body Color :: BK
Dimension : 300mm



Type : **TRACK JOINTER**
Body Color :: BK
Dimension : N/A




Type : **INPUT MODULE**
Body Color :: BK
Dimension : 110x10.5mm



Type : **STRAIGTH MODULE**
Body Color :: BK
Dimension : 80x10.5




Type : **CURVE MODULE**
Body Color :: BK
Dimension : N/A




Type : **CORNER MODULE**
Body Color :: BK
Dimension : N/A

MICRO-10


POWER SUPPLY(10mm)



Type	:	**POWER SUPPLY**
Power	:	**100W**
Body Color	:	BK
Dimension	:	100xH30mm
Body Shape	:	RD




Type	:	**POWER SUPPLY**
Power	:	**100W**
Body Color	:	BK
Dimension	:	195x30x63mm
Body Shape	:	SQ




Type	:	**POWER SUPPLY**
Power	:	**200W**
Body Color	:	BK
Dimension	:	280x30x63mm
Body Shape	:	SQ

END CAP(10mm)




Body Color	:	BK
Dimension	:	33x17mm



Body Color	:	BK
Dimension	:	18.4x17mm

MICRO-10





MICRO 1001(10MM)


Aluminum Body | IP20 | CRI>90+

NEPTUNE AIR - AIR MICRO 1001

Power	:	**12W**	**16W**
Body Color	:	BK	BK
Dimension	:	L450xW10xH40mm	L600xW10xH40mm
Cutout	:	N/A	N/A
Beam Angle	:	100°	100°
Lumens	:	1080LM±5%	1440LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	N/A	N/A

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8





MICRO 1002(10MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MICRO 1002

Power	:	10W
Body Color	:	BK
Dimension	:	L196xW10xH40mm
Length	:	N/A
Beam Angle	:	30°
Lumens	:	900LM±5%
CCT	:	3K/4K/5K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8

MICRO-10






MICRO 1003(10MM)


Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MICRO 1003

Power	:	**5W**	**10W**
Body Color	:	BK	BK
Dimension	:	35x80mm	42x100mm
Cutout	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	450LM±5%	900LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8





MICRO 1003(10MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MICRO 1003

Power	:	**5W**	**10W**
Body Color	:	BRASS	BRASS
Dimension	:	35x80mm	42x100mm
Cutout	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	450LM±5%	900LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8

MICRO-10





MICRO 1004(10MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MICRO 1004

Power	:	**10W**
Body Color	:	BK
Dimension	:	L196xW10xH70mm
Length	:	N/A
Beam Angle	:	30°
Lumens	:	900LM±5%
CCT	:	3K/4K/5K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8





MICRO 1005(10MM)

Aluminum Body | IP20 | CRI>90+

Power	:	**12W**
Body Color	:	BK
Dimension	:	113mm
Cutout	:	N/A
Beam Angle	:	100°
Lumens	:	1080LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF

MICRO-10





MICRO 1006(10MM)


Aluminum Body | IP20 | CRI>90+

Power	:	**6W**
Body Color	:	BK
Dimension	:	80x90mm
Length	:	N/A
Beam Angle	:	40°
Lumens	:	540LM±5%
CCT	:	3K/4K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF









20MM MAGNETIC LIGHTS




MTS-20






Body Color	:	BK	BK	BK
Dimension	:	L1000xW25.5xH50mm	L2000xW25.5xH50mm	L3000xW25.5xH50mm
Length	:	1MTR	2MTR	3MTR



Type : **C TO C SF**
Body Color : BK
Dimension : L100xW100xH50mm



Type : **W TO C SF**
Body Color : BK
Dimension : L100xW62xH100mm



Type : **CURVE CORNER**
Body Color : BK
Dimension : L100xW30xH25mm



Type : **RECESSED KIT**
Body Color : BK
Dimension : W14xH25xW15mm
:



Type : **TRACK JOINTER**
Body Color : BK
Dimension : L70xW12mm



Type : **HANGING KIT**
Body Color : BK
Dimension : L100xW62xH100mm



Type : **MT-QUOTER CURVE 600-SM**
Body Color : BK
Dimension : 600mm





Type : **MT-HALF ROUND 600-SM**
Body Color : BK
Dimension : 600mm




Type : **MT-FULL CIRCLE 600-SM**
Body Color : BK
Dimension : 600mm

MTR-20






Body Color	:	BK	BK	BK
Dimension	:	L1000xW62xH50mm	L2000xW62xH50mm	L3000xW62xH50mm
Length	:	1MTR	2MTR	3MTR



Type : **C TO C RECESSED**
Body Color : BK
Dimension : L100xW100xH50mm



Type : **W TO C RECESSED**
Body Color : BK
Dimension : L100xW60xH100mm



Type : **CURVE CORNER**
Body Color : BK
Dimension : L100xW30xH25mm



Type : **MT-FULL CIRCLE 600-RM**
Body Color : BK
Dimension : 600mm



Type : **MT-QUOTER CURVE 600-RM**
Body Color : BK
Dimension : 600mm




Type : **MT-HALF ROUND 600-RM**
Body Color : BK
Dimension : 600mm

NL-MT20(20mm)



Type : **INPUT MODULE**
Body Color : BK
Dimension : L500mm




Type : **STRAIGHT MODULE**
Body Color :
Dimension : BK
L197xW17xH17mm




Type : **CORNER CONNECT MODULE**
Body Color : BK
Dimension : L390mm



Type : **CURVE CORNER NODULE**
Body Color : BK
Dimension : N/A



Type : **POWER SUPPLY (4wire)**
Power : 100W
Body Color : BK
Dimension : L220xW20xH45mm
Output : N/A



Type : **POWER SUPPLY (4wire)**
Power : 200W
Body Color : BK
Dimension : L300xW22xH45mm
Output : N/A



Type : **MT-CURVE POWER SUPPLY(4wire)**
Power : 100W
Body Color : BK
Dimension : N/A
Output : DC 48V, 2.1AMP

Control System : ON-OFF | AIR | BT-MESH | ZIGBEE | 0-10V | DALI-DT6 | DALI-DT8

NL-MT 20







NL MT-01(20MM)

Aluminum Body | IP20 | CRI>90+


NEPTUNE AIR - AIR Mt01

Power	:	**10W**	**20W**	**30W**
Body Color	:	BK	BK	BK
Dimension	:	L300xW22xH25mm	L600xW22xH25mm	L900xW22xH25mm
Length	:	N/A	N/A	N/A
Beam Angle	:	120°	120°	120°
Lumens	:	900LM±5%	1800LM±5%	2700LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	N/A	N/A	N/A

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8

NL-MT 20





NL-MT 02(20MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MT02

Power	:	**6W**	**12W**
Body Color	:	BK	BK
Dimension	:	L113xW22xH25mm	L220xW22xH25mm
Length	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	540LM±5%	1080LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	SQ	SQ

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8





NL-MT 03(20MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

NEPTUNE AIR - AIR MT03

Power	:	**7W**	**12W**	**20W**
Body Color	:	BK	BK	BK
Dimension	:	35x80mm	45x100mm	60x120mm
Length	:	N/A	N/A	N/A
Beam Angle	:	24°	24°	24°
Lumens	:	630LM±5%	1080LM±5%	1800LM±5%
CCT	:	3K/4K/5K	3K/4K/5K	3K/4K/5K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | NP AIR | DALI-DT8

NL-MT 20





NL-MT 04(20MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

NEPTUNE AIR - AIR MT04

Power	:	**6W**	**12W**
Body Color	:	BK	BK
Dimension	:	L113xW24xH108mm	L221xW24xH125mm
Length	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	540LM±5%	1080LM±5%
CCT	:	3K/4K/5K	3K/4K/5K
Body Shape	:	N/A	N/A
Control System	:	ON-OFF | NP AIR | DALI-DT8	





NL-MT 05(20MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**7W**
Body Color	:	BK
Dimension	:	40xL300mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF

NL-MT 20





NL-MT 06(20MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**12W**
Body Color	:	BK
Dimension	:	90x90xH35mm
Length	:	N/A
Beam Angle	:	36°
Lumens	:	1080LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF





NL-MT 07(20MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**7W**
Body Color	:	BK
Dimension	:	70xL50mm
Length	:	N/A
Beam Angle	:	30°
Lumens	:	630LM±5%
CCT	:	3K/4K
Body Shape	:	RD


CONTROL SYSTEM : ON-OFF

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-MT 20



NL-MT 20





NL-MT-CURVE 02(20MM)

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**12W**
Body Color	:	BK
Dimension	:	W22xH25xL360mm
Length	:	N/A
Beam Angle	:	N/A
Lumens	:	1080LM±5%
CCT	:	3K/4K
Body Shape	:	RD

CONTROL SYSTEM : ON-OFF






NL-MT-CURVE 03(20MM)

Aluminum Body | IP20 | CRI>90 | Anti-Glare

Power	:	**12W**
Body Color	:	BK
Dimension	:	D50xH140mm
Length	:	N/A
Beam Angle	:	N/A
Lumens	:	1080LM±5%
CCT	:	3K/4K
Body Shape	:	RD


CONTROL SYSTEM : ON-OFF

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE




ULTRA SLIM
MAGNETIC LIGHTS







SCALE MAGNETIC USM-30



NL-USM30

Body Color	:	**BK**		**BK**		**BK**
Dimension	:	W30x1000mm		W30x2000mm		W30x3000mm
Length	:	1MTR		2MTR		3MTR






Type : **STRAIGHT MODULE**
Body Color : BK



Type : **CORNER MODULE C TO C (L-CONNECT)**
Body Color : BK



Type : **T TYPE MODULE (T-CONNECT)**
Body Color : BK



Type : **W CORNER MODULE W TO C (IN&OUT CONNECT)**
Body Color : BK



Type : **POWER SUPPLY**
Power : **100W**
Body Color : BK
Dimension : L150xW30xH35
Control System : ON-OFF



Type : **POWER SUPPLY**
Power : **200W**
Body Color : BK
Dimension : L300xW30xH35
Control System : ON-OFF | NP AIR

SCALE MAGNETIC USM-30








NL-USM 01

Aluminum Body | IP20 | CRI>90+

Power	:	**8W**	**16W**
Body Color	:	BK	BK
Dimension	:	L150xW30xH25mm	L290xW30xH25mm
Length	:	N/A	N/A
Beam Angle	:	120°	120°
Lumens	:	680LM±5%	1360LM±5%
CCT	:	[3K/4K/6K/ AIR SMART] 4IN1	[3K/4K/6K/ AIR SMART] 4IN1
Body Shape	:	N/A	N/A
Control System	:	ON-OFF	




SCALE MAGNETIC USM-30





NL-USM 02

Aluminum Body | IP20 | CRI>90+ | Anti-Glare




Power	:	**6W**	**12W**
Body Color	:	BK	BK
Dimension	:	L150xW30xH25mm	L290xW30xH25mm
Length	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	510LM±5%	1020LM±5%
CCT	:	[3K/4K/6K/ AIR SMART] 4IN1	[3K/4K/6K/ AIR SMART] 4IN1
Body Shape	:	N/A	N/A
Control System	:	ON-OFF	





NL-USM 03

Aluminum Body | IP20 | CRI>90+ | Anti-Glare



Power	:	**7W**	**12W**	**18W**
Body Color	:	BK	BK	BK
Dimension	:	L35x80mm	L42x100mm	D55x115mm
Length	:	N/A	N/A	N/A
Beam Angle	:	24°	24°	24°
Lumens	:	595LM±5%	1020LM±5%	1530LM±5%
CCT	:	[3K/4K/6K/ AIR SMART] 4IN1	[3K/4K/6K/ AIR SMART] 4IN1	[3K/4K/6K/ AIR SMART] 4IN1
Body Shape	:	RD	RD	RD
Control System	:	ON-OFF		

SCALE MAGNETIC USM-30






NL-USM 04

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**12W**
Body Color	:	BK
Dimension	:	L90xW30xH50mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	1020LM±5%
CCT	:	[3K/4K/6K/ AIR SMART] 4IN1
Body Shape	:	N/A
Control System	:	ON-OFF







NL-USM 05

Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**12W**
Body Color	:	BK
Dimension	:	D40xL300mm
Length	:	N/A
Beam Angle	:	24°
Lumens	:	1020LM±5%
CCT	:	[3K/4K/6K/ AIR SMART] 4IN1
Body Shape	:	RD
Control System	:	ON-OFF


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

FTS MAGNETIC



FTS MAGNETIC





NL-FTS TRACK

Copper+PVC Body

IP20

Body Color	:	BK
Dimension	:	W4xH14
Length	:	10Mtr. Roll





FTS MAGNETIC






Type	:	**FTS CEILING PART**
Dimension	:	D40xH90
Body Color	:	BK
Feature	:	Track Ceiling Fix Parts PC



Type	:	**FTS TRACK CONNECTOR**
Dimension	:	D40xH90
Body Color	:	BK
Feature	:	TRACK CONNECTOR




Type	:	**FTS POWER SUPPLY**
Power	:	**150W**
Dimension	:	D100xH30
Body Color	:	BK
Feature	:	48V POWER SUPPLY FOR FTS SERIES



Type	:	**FTS INPUT MODULAR**
Dimension	:	D40xH90
Body Color	:	BK
Feature	:	INPUT MODULE-DC48V

FTS MAGNETIC



*** Height can Adjustable**

FTS HANGING ROD

Aluminum+PC Body

Feature	:	**Adjustable Height Hanging Rod**
Length	:	150 / 300 / 600 mm


FTS HANGING MODULE

Aluminum+PC Body


Feature	:	**Adjustable Height Hanging Rod with Module**



FTS MAGNETIC








NL-FTS 01


Aluminum+PC Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**12W(DC 48V)**
Body Color	:	BK
Dimension	:	W35xH28xL365
Length	:	N/A
Beam Angle	:	24°
Lumens	:	1080LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF







NL-FTS 02

Aluminum+PC Body | IP20 | CRI>90+

Power	:	**12W(DC 48V)**
Body Color	:	BK
Dimension	:	W35xH28xL365
Length	:	N/A
Beam Angle	:	100°
Lumens	:	1080LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

FTS MAGNETIC

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection






NL-FTS 03

ALUMINUM+ GLASS Body | IP20 | CRI>90+

Power	:	**7W(DC 48V)**
Body Color	:	BK
Dimension	:	D100
Length	:	N/A
Beam Angle	:	270°
Lumens	:	630LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF



Signature Collection






NL-FTS 04

ALUMINUM+ GLASS Body | IP20 | CRI>90+

Power	:	**7W(DC 48V)**
Body Color	:	BK
Dimension	:	D100
Length	:	N/A
Beam Angle	:	270°
Lumens	:	630LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF




FTS MAGNETIC

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature Collection







NL-FTS 05

Aluminum+PC Body | IP20 | CRI>90+ | Anti-Glare


Power	:	**7W(DC 48V)**
Body Color	:	BK
Dimension	:	D100xH60
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF

Signature Collection







NL-FTS 06

Aluminum+PC Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**7W(DC 48V)**
Body Color	:	BK
Dimension	:	D100xH60
Length	:	N/A
Beam Angle	:	24°
Lumens	:	630LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)

Control System : ON-OFF

FTS MAGNETIC






NL-FTS 07

Aluminum+PC Body | IP20 | CRI>90+

Power	:	**10W(DC 48V)**	**20W(DC 48V)**
Body Color	:	BK	BK
Dimension	:	D30xL300	D30xL600
Length	:	N/A	N/A
Beam Angle	:	160°	160°
Lumens	:	900LM±5%	1800LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)	3K/4K/6K (Pre Select With Dip Switch)
Control System	:	ON-OFF	








NL-FTS 08

Aluminum+PC Body | IP20 | CRI>90+

Power	:	**10W(DC 48V)**
Body Color	:	BK
Dimension	:	D100
Length	:	N/A
Beam Angle	:	110°
Lumens	:	900LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)
Control System	:	ON-OFF



FTS MAGNETIC






NL-FTS 09

Aluminum+ Silicone Body | IP20 | CRI>90+

Power	:	**20W(DC 48V)**	**40W(DC 48V)**
Body Color	:	BK	BK
Dimension	:	D22xL1000	D22xL2000
Length	:	N/A	N/A
Beam Angle	:	360°	360°
Lumens	:	1800LM±5%	3600LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)	3K/4K/6K (Pre Select With Dip Switch)



Control System : ON-OFF






NL-FTS 10

Aluminum+PC Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**9W(DC 48V)**
Body Color	:	BK
Dimension	:	D90xH35
Length	:	N/A
Beam Angle	:	24°
Lumens	:	810LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)



Control System : ON-OFF

FTS MAGNETIC

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Signature collection






NL-FTS 11

Aluminum+PC Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**7W(DC 48V)**	**10W(DC 48V)**
Body Color	:	BK	BK
Dimension	:	Ø35xL90	Ø45xL100
Length	:	N/A	N/A
Beam Angle	:	24°	24°
Lumens	:	630LM±5%	900LM±5%
CCT	:	3K/4K/6K (Pre Select With Dip Switch)	3K/4K/6K (Pre Select With Dip Switch)
Control System	:	ON-OFF	








Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
Signature
Collection

DISC 72

Signature Collection






Aluminum Body | IP20 | CRI>90+


Power	:	**40W**	**60W**
Body Color	:	GUN BK | BRASS	GUN BK | BRASS
Dimension	:	600x40x150mm	800x40x180mm
Beam Angle	:	90°	90°
Lumens	:	3200LM±5%	4800LM±5%
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

DISC 74

Signature Collection





Aluminum Body | IP20 | CRI>90+ | Anti-Glare

Power	:	**30W**	**40W**	**60W**
Body Color	:	GUN BK BRASS	GUN BK BRASS	GUN BK BRASS
Dimension	:	600x35x150mm	800x35x150mm	1000x35x150mm
Beam Angle	:	30°	30°	30°
Lumens	:	2400LM±5%	3200LM±5%	4800LM±5%
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-HX01




Aluminum Body | IP20 | CRI>80+

Power	:	**20W**	**40W**
Body Color	:	BK	BK
Dimension	:	400x100x70mm	600x100x70mm
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	HX	HX

CONTROL SYSTEM : ON-OFF | 1-10V

NL-HX02



Aluminum Body | IP20 | CRI>80+

Power	:	**25W**	**35W**
Body Color	:	BK	BK
Dimension	:	400x100x70mm	600x100x70mm
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	HX	HX

CONTROL SYSTEM : ON-OFF | 1-10V

NL-RD03



Aluminum Body | IP20 | CRI>80+

Power	:	**25W**	**40W**	**60W**
Body Color	:	BK	BK	BK
Dimension	:	400x100x70mm	600x100x70mm	900x100x70mm
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

NL-RD04



Aluminum Body | IP20 | CRI>80+

Power	:	**25W**	**35W**	**60W**
Body Color	:	BK	BK	BK
Dimension	:	400x100x70mm	600x100x70mm	900x100x70mm
CCT	:	3in1 3K 4K 6K	3in1 3K 4K 6K	3in1 3K 4K 6K
Body Shape	:	RD	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

NL-RD-901







Aluminum Body | IP20 | CRI>80+

SURFACE & HANGING

Power	:	**30W**	**40W**
Body Color	:	BK | WH	BK | WH
Dimension	:	460x60mm	600x60mm
CCT	:	3K 4K 6K	3K 4K 6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

NL-RD-902





Aluminum Body | IP20 | CRI>80+

SURFACE & HANGING

Power	:	**30W**	**35W**
Body Color	:	BK+WOOD	BK+WOOD
Dimension	:	480x80mm	580x80mm
CCT	:	3K 4K 6K	3K 4K 6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-RD-903





Aluminum Body | IP20 | CRI>80+

SURFACE & HANGING

Power	:	**30W**	**40W**
Body Color	:	BK | WH	BK | WH
Dimension	:	500x50mm	600x50mm
CCT	:	3K 4K 6K	3K 4K 6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V

NL-RD-904







Aluminum Body | IP20 | CRI>80+

SURFACE & HANGING

Power	:	**30W**	**35W**
Body Color	:	BK | WH	BK | WH
Dimension	:	450x140mm	550x140mm
CCT	:	3K 4K 6K	3K 4K 6K
Body Shape	:	RD	RD

CONTROL SYSTEM : ON-OFF | 1-10V


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-LL037




Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	**36W**
Body Color	:	BK
Dimension	:	1184x27.5x65mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3K/4K/6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF | 1-10V

NL-LL050




Aluminum Body | IP20 | CRI>80+

Power	:	**24W**	**50W**	**100W**
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	600x50x75mm	1200x50x75mm	2400x50x75mm
Cutout	:	N/A	N/A	N/A
Beam Angle	:	110°	110°	110°
Lumens	:	N/A	N/A	N/A
CCT	:	3K/4K/6K	3K/4K/6K	3K/4K/6K
Body Shape	:	N/A	N/A	N/A

CONTROL SYSTEM : ON-OFF | 1-10V

NL-LL57




Aluminum Body | IP20 | CRI>80+

Power	:	**45W**
Body Color	:	BK WH
Dimension	:	1183x33x56mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF | 1-10V

NL-LL68




Aluminum Body | IP20 | CRI>80+

Power	:	**42W**
Body Color	:	BK | WH
Dimension	:	L1183xW33xH56mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF | 1-10V

NL-LL84









Power	:	**48W**
Body Color	:	BK WH
Dimension	:	1195x75x50mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

NL-LL46








Power	:	**40W**
Body Color	:	BK+GUN BK WH+RGD
Dimension	:	L1150xW32xH45mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM ON-OFF

NL-LL56








Power	:	**40W**
Body Color	:	BK+GUN BK WH+RGD
Dimension	:	L1150xW32xH45mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

NL-LL76









Power	:	**40W**
Body Color	:	BK+GUN BK WH+RGD
Dimension	:	L1180xW40xH40mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

NL-LL77








Power	:	40W
Body Color	:	BK+GUN BK WH+RGD
Dimension	:	L1180xW40xH40mm
Cutout	:	N/A
Beam Angle	:	110°
Lumens	:	N/A
CCT	:	3in1 3K 4K 6K
Body Shape	:	N/A

Control System : ON-OFF




Neptune®
LIGHTS
ILLUMINATE YOUR LIFE






NL-APL-001







INSTALLATION :



DIMENSION:



LENGTH : 2MTR. / 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 17MM SURFACE






NL-APL-002






INSTALLATION :




DIMENSION:




LENGTH : 2MTR. / 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 17MM CONCEALED






NL-APL-003






INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 16MM CORNER

NL-APL-004






INSTALLATION :



DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1714 DEEP CONCEALED

NL-APL-005







INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1714 DEEP SURFACE






NL-APL-006






INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 2310(25MM) CONCEALED

NL-APL-007






INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 2310(25MM) SURFACE

NL-APL-008







INSTALLATION :




DIMENSION:



LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1207 CONCEALED






NL-APL-010






INSTALLATION :




DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 18MM BENDABLE

NL-APL-009






INSTALLATION :




DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1207 SURFACE

NL-APL-012






INSTALLATION :



DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 3512 CONCEALED






NL-APL-013






INSTALLATION :





DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 3512 SURFACE

NL-APL-014






INSTALLATION :




DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 5012 CONCEALED

NL-APL-015






INSTALLATION :



DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 5012 SURFACE




NL-APL-016



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : GREY+SILICON
FEATURE : UPDOWN SURFACE FURNITURE & CABINET PROFILE




NL-APL-017



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : GREY+SILICON
FEATURE : FURNITURE 4MM SLIM PROFILE




NL-APL-018



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : GREY+SILICON
FEATURE : 12MM 45° CORNER SF PROFILE




NL-APL-019



INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : GREY+WH
FEATURE : ASYMMETRIC FURNITURE PROFILE



NL-APL-020



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : GREY+WH
FEATURE : WARDROBE HANGER PROFILE




NL-APL-021




INSTALLATION :




DIMENSION:



LENGTH : 2MTR.
BODY CLR. : GREY+WH
FEATURE : 8MM GLASS SHELF PROFILE






NL-APL-022






INSTALLATION :




DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 0708 CONCEALED


NL-APL-023



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 0708 SURFACE


NL-APL-024



INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1010 CONCEALED




NL-APL-025



INSTALLATION :




DIMENSION:




LENGTH : 2MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 1010 SURFACE


NL-APL-026



INSTALLATION :



DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 3535 CONCEALED


NL-APL-027




INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : 3535 SURFACE




NL-APL-028







INSTALLATION :




DIMENSION:



LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : SURFACE SKIRTING WALL MOUNTED PROFILE




NL-APL-029






INSTALLATION :




DIMENSION:




LENGTH : 3MTR.
BODY CLR. : SILVER+WH / BK+WH
FEATURE : WALL RECESSED SKIRTING PROFILE




NL-APL-030



INSTALLATION :



DIMENSION:




LENGTH : 3MTR.
BODY CLR. : WH+WH
FEATURE : TOP CORNER DOUBLE SIDE PROFILE




NL-APL-031



INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : BK+WH
FEATURE : 40MM CORNER PROFILE







NL-APL-032




INSTALLATION :



DIMENSION:




LENGTH : 2MTR.
BODY CLR. : GREY+WH
FEATURE : LENS PROFILE WITH ADJ BEAM ANGLE WITH TRAY







NL-APL-033




INSTALLATION :




DIMENSION:



LENGTH : 3MTR.
BODY CLR. : WH+WH
FEATURE : TRIMLESS CEILING COVE







NL-APL-034




INSTALLATION :




DIMENSION:



LENGTH : 3MTR.
BODY CLR. : WH+WH
FEATURE : TRIMLESS WALL WASHER







NL-APL-035



INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : WH+WH
FEATURE : UPWARD WALL WASHER PROFILE







NL-APL-036




INSTALLATION :




DIMENSION:




LENGTH : 3MTR.
BODY CLR. : GREY+WH
FEATURE : ASYMMETRIC FURNITURE PROFILE







NL-APL-037



INSTALLATION :



DIMENSION:



LENGTH : 3MTR.
BODY CLR. : BK+WH
FEATURE : SHADOW GAP PROFILE

SKYLINE








SKYLINE






Steel strip's width

DIFFERENT TYPE OF FITTINGS




DIFFERENT TYPE OF FITTING TOOLS






SKYLINE









Installation Guide




On the mounting surface drill two φ6mm holes with a distance of 42mm, and install a plastic expansion plug




The input wire passed through the bottom box and the screw rod




Pass the screw rod through the base and fix the base onto the mounting surface




Measure the distance between two installation points ,the length of the steel strip is 240mm less than the measured length.




Paste the LED on the steel strip, reserve 70mm at the beginning end and 50mm at the end;



Lock the steel strip tightly with the paper travel rod




Firstly fix the stroke rod at the outlet end ,then fix the stroke rod at the other end




Plug the quick plug terminal on both sides and make it through by pressing tightly.

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



2835-120LED

IP20 CRI>80+




Power	:	**10W/M**
Voltage	:	12V DC / 24V DC
LED Qty.	:	120LED Per Mtr.
Length	:	5 Mtr.
PCB	:	8mm
CCT	:	12V - 3K / 4K / 5K / 6K BL / RD / GR / PK ICE BL 24V - 3K / 4K / 5K / 6K

Power	:	**10W/M**
Voltage	:	12V DC / 24V DC
LED Qty.	:	120LED Per Mtr.
Length	:	5 Mtr.
PCB	:	5mm
CCT	:	3K / 4K / 5K / 6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

2835-180LED

IP20 CRI>80+




Power	:	**15W/M**
Voltage	:	12V DC / 24V DC
LED Qty.	:	180LED Per Mtr.
Length	:	5 Mtr.
PCB	:	10mm
CCT	:	3K / 4K / 5K / 6K

Power	:	**15W/M**
Voltage	:	12V DC / 24V DC
LED Qty.	:	180LED Per Mtr.
Length	:	5 Mtr.
PCB	:	5mm
CCT	:	3K / 4K / 5K / 6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

2835-240LED


IP20 CRI>80+




Power	:	**20W/M**
Voltage	:	12V DC
LED Qty.	:	240LED Per Mtr.
Length	:	5 Mtr.
PCB	:	10mm
CCT	:	3K / 4K / 5K / 6K

Power	:	**20W/M**
Voltage	:	24V DC
LED Qty.	:	240LED Per Mtr.
Length	:	5 Mtr.
PCB	:	10mm
CCT	:	3K / 4K / 5K / 6K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI



2835-TUNABLE 216 STRIP




IP20 CRI>80+

Power	:	**20W/M**
Voltage	:	24V DC
LED Qty.	:	216LED Per Mtr.
Length	:	5 Mtr.
PCB	:	10mm
CCT	:	WH+WW(3IN1)

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

5050-RGB

IP20 CRI>80+




Power	:	**10W/M**
Voltage	:	12V DC
LED Qty.	:	60LED Per Mtr.
Length	:	5 Mtr.
PCB	:	8mm
CCT	:	RGB

Power	:	**14W/M**
Voltage	:	24V DC
LED Qty.	:	60LED Per Mtr.
Length	:	5 Mtr.
PCB	:	10mm
CCT	:	4IN1(RGB+WW) 5IN1(RGB+WW+WH)

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

COB STRIP

IP20 CRI>80+




Power	:	**14W/M**
Voltage	:	24V DC
LED Qty.	:	480LED Per Mtr.
Length	:	5 Mtr.
PCB	:	5mm
CCT	:	3K / 4K

Power	:	**14W/M**
Voltage	:	24V DC
LED Qty.	:	480LED Per Mtr.
Length	:	5 Mtr.
PCB	:	8mm
CCT	:	3K / 4K


CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

CRI 90 STRIP



2835-120LED(CRI>90)

IP20 CRI>90+




Power	:	**12W/M**
Voltage	:	24V DC
LED Qty.	:	120LED Per Mtr.
Length	:	10 Mtr.
PCB	:	8mm
CCT	:	3000K / 4000K / 6000K

Power	:	**12W/M**
Voltage	:	24V DC
LED Qty.	:	120LED Per Mtr.
Length	:	10 Mtr.
PCB	:	8mm
CCT	:	2700K / 3500K / 5000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

2835-240LED(CRI>90)

IP20 CRI>90+




Power	:	**24W/M**
Voltage	:	24V DC
LED Qty.	:	240LED Per Mtr.
Length	:	10 Mtr.
PCB	:	10mm
CCT	:	3000K / 4000K / 6000K

Power	:	**24W/M**
Voltage	:	24V DC
LED Qty.	:	240LED Per Mtr.
Length	:	10 Mtr.
PCB	:	10mm
CCT	:	2700K / 3500K / 5000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

2835-168LED(CRI>90)

IP20 CRI>90+



Power	:	**16W/M**
Voltage	:	24V DC
LED Qty.	:	168LED Per Mtr.
Length	:	10 Mtr.
PCB	:	5mm
CCT	:	3000K / 4000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

IP2835-120LED (WATER PROOF)



IP68 IP68 CRI>80+

Power	:	**10W/M**
Voltage	:	24V DC
LED Qty.	:	120LED Per Mtr.
Length	:	10 Mtr.
PCB	:	8mm(10x3.8mm)
CCT	:	1800K / 2700K / 4000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

IP2835-204LED (WATER PROOF)



IP68 IP68 CRI>80+

Power	:	**14W/M**
Voltage	:	24V DC
LED Qty.	:	204LED Per Mtr.
Length	:	10 Mtr.
PCB	:	10mm(12x4mm)
CCT	:	1800K / 2700K / 4000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

GRAZER LED STRIP





NL-GZL-2210




IP68 CRI>90+

Power	:	**24W/M**
Voltage	:	24V DC
CRI	:	90+ CRI
LED Qty.	:	42LED Per Mtr.
Beam Angle	:	30°
Length	:	5 Mtr.
PCB	:	22mm
CCT	:	2000K / 3000K / 4000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

NL-GZL-1610



IP68 CRI>90+


Power	:	**14W/M**
Voltage	:	24V DC
CRI	:	90+ CRI
LED Qty.	:	48LED Per Mtr.
Beam Angle	:	30°
Length	:	5 Mtr.
PCB	:	16mm
CCT	:	2000K / 3000K / 4000K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

NL-SL2835 1212



IP65 IP65 CRI>80+



Power	:	**10W/M**
Type	:	Top View
Voltage	:	24V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
CCT	:	1800K / 2700K / 4000K / 6500K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

END CAP



MOUNTING CLIP




CORD WIRE




JOINTER



NL-SL2835 1616



IP65 IP65 CRI>80+



Power	:	**10W/M**
Type	:	Top View
Voltage	:	24V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
CCT	:	1800K / 2700K / 4000K / 6500K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

END CAP



MOUNTING CLIP




CORD WIRE




JOINTER



NL-SL2835 1010




IP65 IP65 CRI>80+




Power	:	**10W/M**
Type	:	Side View
Voltage	:	24V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
CCT	:	1800K / 2700K / 4000K / 6500K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI


END CAP MOUNTING CLIP CORD WIRE JOINTER



NL-SL2835 0612




IP65 IP65 CRI>80+



Power	:	**10W/M**
Type	:	Side View
Voltage	:	24V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
CCT	:	1800K / 2700K / 4000K / 6500K

CONTROL SYSTEM : ON-OFF | AIR | BT-MESH | ZIGBEE | 1-10V | DALI

END CAP MOUNTING CLIP CORD WIRE JOINTER



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



COB ROPE LIGHT-288D



IP65 IP65 CRI>80+

CORD WIRE



Power	:	**8W/M**
Voltage	:	220V DC
CRI	:	80+ CRI
LED Qty.	:	288LED Per Mtr.
Length	:	50 Mtr.
PCB	:	8mm
CCT	:	3000K / 4000K / 6000K

CONTROL SYSTEM : ON-OFF

2835 ROPE




IP20 CRI>80+


Power	:	**8W/M**
Voltage	:	220V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
PCB	:	--
CCT	:	WW / NW / WH / BL RD / GR / PK / ICE BL / AMBER

CONTROL SYSTEM : ON-OFF

CORD WIRE



2835 NEON




IP20 CRI>80+

Power	:	**8W/M**
Voltage	:	220V DC
CRI	:	80+ CRI
LED Qty.	:	120LED Per Mtr.
Length	:	50 Mtr.
PCB	:	–
CCT	:	WW / NW / WH / BL RD / GR / PK / ICE BL / AMBER


CONTROL SYSTEM : ON-OFF

CORD WIRE




SILICON EMPTY

NL-SL1010



Power : **N/A**
PCB : 5mm PCB
Length : 100mtr. Roll



END CAP




MOUNTING CLIP




FLEXIBLE CLIP



NL-SL1414



Power : **N/A**
PCB : 8mm PCB
Length : 100mtr. Roll



END CAP




MOUNTING CLIP



FLEXIBLE CLIP



NL-SL2014



Power : **N/A**
PCB : 10mm PCB
Length : 100mtr. Roll



END CAP




MOUNTING CLIP




FLEXIBLE CLIP



NL-SL1616F



Power : **N/A**
PCB : 8mm PCB
Length : 100mtr. Roll



END CAP




MOUNTING CLIP




CORD WIRE



NL-SL3020F



Power : **N/A**
PCB : 10mm x 2 PCB
Length : 100mtr. Roll



END CAP




MOUNTING CLIP



CORD WIRE





STRIP CONNECTOR


STRAIGHT CONNECTOR
(FOR LED STRIP)



L-CONNECTOR
(FOR LED STRIP)




WIRE CONNECTOR
(FOR LED STRIP)



ULTRA SLIM

Aluminum Body | IP20



A pencil-like SMPS designed to fit into small yet long gaps compact installations.
Section size: 20×20 mm ensures a sleek and minimal appearance.

Power	:	**24W**	**36W**	**60W**
Output Current	:	2A	3A	5A
Output Voltage	:	12V	12V	12V

CABINET PS

PC Body | IP20



A specially designed SMPS for wardrobe lighting with a plug-and-play system, sensor controls, and support for up to 6 light connections. Just connect it and forget it.

Power	:	**60W**		**100W**
Output Current	:	5A / 2.5A		8.33A / 4.16A
Output Voltage	:	12V(5A) } PRE SELECT BY SWITCH 24V(2.5A)		12V(8.33A) } PRE SELECT BY SWITCH 24V(4.16A)

THIN PRO



Aluminum Body | IP20

Our most versatile and cost-effective SMPS solution

Power	:	**60W**	**120W**	**200W**
Output Current	:	5A / 2.5A	10A / 5A	16.6A / 8.3A
Dimension	:	115X25X50mm	138X25X50mm	205X25X50mm
Output Voltage	:	12V(5A) 24V(2.5A)	12V(10A) 24V(5A)	12V(16.6A) 24V(8.3A)

Power	:	**300W**	**400W**
Output Current	:	25A / 12.5A	33.33A / 16.66A
Dimension	:	240X25X50mm	226X28X60mm
Output Voltage	:	12V(25A) 24V(12.5A)	12V(33.33A) 24V(16.66A)

SPARK



Aluminum Body | IP20

A versatile and sleek SMPS with power adjustability and a soft fade switch-on feature.



Power	:	**60W**	**100W**
Output Current	:	5A / 2.5A	8.33A / 4.16A / 2.1A
Dimension	:	147X23X32mm	177X23X32mm
Output Voltage	:	12V(5A) 24V(2.5A)	12V(8.33A) 24V(4.16A) 48V(2.1A)

Power	:	**200W**	**300W**
Output Current	:	16.6A / 8.33A / 4.2A	25A / 12.5A
Dimension	:	205X25X50mm	257X23X32mm
Output Voltage	:	12V(16.6A) 24V(8.33A) 48V(4.2A)	12V(25A) 24V(12.5A)

*Adjustable Output Power via **DIP Switch**

IP 67




Aluminum Body

IP67

Our Outdoor Range Of SMPS, Built For Durability And Weather Resistance.

Power	:	**60W**		**100W**		**200W**		**300W**
Output Current	:	5A / 2.5A		8.33A / 4.16A		16.66A / 8.33A		25A / 12.5A
Dimension	:	180X26X70mm		230X26X70mm		280X26X70mm		280X32X95mm
Output Voltage	:	12V(5A)		12V(8.33A)		12V(16.66A)		12V(25A)
		24V(2.5A)		24V(4.16A)		24V(8.33A)		24V(12.5A)



DALI-DT6

PC Body
IP20



Power	:	**8W**	**15W**	**30W**
Output	:	100-200mA	250-350mA	400-750mA

CONTROL SYSTEM : ON-OFF

DALI-DT8

PC Body
IP20



Power	:	**12W**	**20W**	**30W**
Output	:	100-300mA	300-500mA	400-750mA

CONTROL SYSTEM : ON-OFF

DALI-DT8CV

PC Body
IP20



Power	:	**75W**	**150W**
Output	:	0-3.125mA	0-6.250mA

CONTROL SYSTEM : ON-OFF

AIR SMART CONTROLLER
(FOR STRIP)

PC Body | IP20



Power : **120W**
Output : 100-200mA

NOTE :
Separate Power Supply Needed

CONTROL SYSTEM : ON-OFF

AIR REMOTE

PC Body | IP20



Power : –
Output : –

CONTROL SYSTEM : ON-OFF

NeptuneAir®
Your **smart** home solution

Powered by Neptune LIGHTS




In the era of smart living, Neptune Air is here to redefine your home experience by placing unparalleled control and convenience at your fingertips. Imagine a home that not only listens but also responds to your needs a personal haven where every device and system operates in perfect harmony to cater to your lifestyle. That's not just a dream; it's a reality with NEPTUNE AIR.



GET IT ON Google Play | Download on the App Store

AIR DRIVER

PC Body
IP20



Power : **6-12W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
6W 8W 10W 12W

Power : **14-20W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
14W 16W 18W 20W

Power : **22-30W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
22W 25W 28W 30W

CONTROL SYSTEM : ON-OFF

BT-MESH TUYA-SMART LIFE

PC Body
IP20



Power : **6-12W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
6W 8W 10W 12W

Power : **14-20W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
14W 16W 18W 20W

Power : **22-30W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
22W 25W 28W 30W

CONTROL SYSTEM : ON-OFF

ZIGBEE

PC Body
IP20



Power : **6-12W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
6W 8W 10W 12W

Power : **14-20W**
Output : 36VA

WATTAGE NEED TO PRE SELECT BY DIP SWITCH
14W 16W 18W 20W

CONTROL SYSTEM : ON-OFF

CCT LED CONTROLLER



Power : **130/260W**
Output : 12V-24V
Feature : CONTROLLER CCT STRIP (WH+WW)

PC Body | IP20

RGB+WW CONTROLLER

(4IN1STRIP-5050)



Power : **N/A**
Output : –
Feature : CONTROLLER 4IN1 RGB W (5050)

PC Body | IP20



RGB+WW+CW CONTROLLER

(5IN1STRIP-5050)



Power : **N/A**
Output : **–**
Feature : CONTROLLER 5IN1 RGB WW (5050)

PC Body | IP20

RF REMOTE CONTROLLER



Power : **N/A**
Output : –
Feature : CONTROLLER FOR RGB STRIP (5050)

PC Body | IP20


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

SWIVEL-11



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	9W	12W	18W
Body Color	:	BK | WH	BK | WH	BK | WH
Dimension	:	L330xW42xH55mm	L417xW42xH55mm	L533xW42xH55mm
CCT	:	3IN1	3IN1	3IN1
Control System	:	ON-OFF		

SWIVEL-16



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	12W	18W
Body Color	:	WH+RGD | BK+RGD	WH+RGD | BK+RGD
Dimension	:	L420xW43x100mm	L550xW43x100mm
CCT	:	3IN1	3IN1
Control System	:	ON-OFF	


SWIVEL-17



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	12W	18W
Body Color	:	WH+RGD | BK+RGD	WH+RGD | BK+RGD
Dimension	:	L420xW43x100mm	L550xW43x100mm
CCT	:	3IN1	3IN1
Control System	:	ON-OFF	

SWIVEL-18






Power	:	12W	18W
Body Color	:	BK	BK
Dimension	:	420mm	530mm
CCT	:	3IN1	3IN1

Control System : ON-OFF

SWIVEL-19







Power	:	12W	18W
Body Color	:	BK	BK
Dimension	:	418mm	528mm
CCT	:	3IN1	3IN1

Control System : ON-OFF

SWIVEL-22





Power	:	9W	12W	18W
Body Color	:	WH	WH	WH
Dimension	:	L336xW38xH93mm	L436xW38xH93mm	L546xW38xH93mm
CCT	:	3IN1	3IN1	3IN1

Control System : ON-OFF

SWIVEL-44



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	9W	12W	18W
Body Color	:	SILVER	SILVER	SILVER
Dimension	:	L305xW83xH46mm	L455xW83xH46mm	L605xW83xH46mm
CCT	:	3IN1	3IN1	3IN1
Control System	:	ON-OFF		

SWIVEL-77



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	9W	12W	18W
Body Color	:	SILVER	SILVER	SILVER
Dimension	:	L305xW83xH46mm	L455xW83xH46mm	L605xW83xH46mm
CCT	:	3IN1	3IN1	3IN1
Control System	:	ON-OFF		

SWIVEL-88



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	9W	12W	18W
Body Color	:	SILVER	SILVER	SILVER
Dimension	:	L316xW76xH35mm	L450xW76xH35mm	L552xW76xH35mm
CCT	:	3IN1	3IN1	3IN1
Control System	:	ON-OFF		


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

NL-BL91



Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	**3W**
Body Color	:	WH | BK
Dimension	:	30x300x69mm
Cutout	:	N/A
Beam Angle	:	60°
Lumens	:	N/A
CCT	:	3K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

NL-BL92




Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	**3W**
Body Color	:	WH | BK
Dimension	:	60x300x67mm
Cutout	:	N/A
Beam Angle	:	60°
Lumens	:	N/A
CCT	:	3K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF

NL-BL95




Aluminum Body | IP20 | CRI>80+ | Anti-Glare

Power	:	**3W+5W+1W**
Body Color	:	WH | BK
Dimension	:	H590x83mm
Cutout	:	N/A
Beam Angle	:	60°
Lumens	:	N/A
CCT	:	3K
Body Shape	:	N/A

CONTROL SYSTEM : ON-OFF


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE


FOOT LIGHT





NL-FL551




NL-FL552








NL-FL553



NL-FL554





NL-FL551 TO FL554

Power	:	**3W**
Body Color	:	WH | BK
Dimension	:	L42xH80mm
CCT	:	3K

CONTROL SYSTEM : ON-OFF


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

CL-35



IP20

Type : **CL-35A CLEAR / AMBER**
Power : 4W
Holder Type : E14/E27
IP Rating : IP 20
CCT : CLEAR - 2200K/2700K/4000K
AMBER - 2700K

Type : **CL-35A DIMMABLE**
Power : 4W
Holder Type : E14/E27
IP Rating : IP 20
CCT : 2700K

Type : **CL-35T CLEAR**
Power : 4W
Holder Type : E14/E27
IP Rating : IP 20
CCT : 2200K/2700K

CL-64



IP20

Type : **CL-64M CLEAR / AMBER**
Power : 4W
Holder Type : E27
IP Rating : IP 20
CCT : CLEAR - 2200K/2700K/4000K
AMBER - 2700K

Type : **CL-64M CLEAR / AMBER**
Power : 8W
Holder Type : E27
IP Rating : IP 20
CCT : 2700K

Type : **CL-64M DIMMABLE**
Power : 4W
Holder Type : E27
IP Rating : IP 20
CCT : 2700K

CL-45

IP20

Type : **CL-45G CLEAR / AMBER**
Power : 4W
Holder Type : E14/E27
IP Rating : IP 20
CCT : CLEAR - 2200K/2700K/4000K
AMBER - 2700K



Type : **CL-45G DIMMABLE**
Power : 4W
Holder Type : E14/E27
IP Rating : IP 20
CCT : 2700K

Type : **CL-45G SILVER**
Power : 4W
Holder Type : E27
IP Rating : IP 20
CCT : 2700K



CL-80

IP20

Type : **CL-80G CLEAR**
Power : 4W
Holder Type : E27
IP Rating : IP 20
CCT : 2200K/2700K



Type : **CL-80G CLEAR**
Power : 8W
Holder Type : E27
IP Rating : IP 20
CCT : 2200K/2700K

Type : **CL-80G SILVER**
Power : 4W
Holder Type : E27
IP Rating : IP 20
CCT : 2700K



CL-95



IP20

Type	:	**CL-95G CLEAR**
Power	:	4W
Holder Type	:	E27
IP Rating	:	IP 20
CCT	:	2700K

Type	:	**CL-95G CLEAR**
Power	:	8W
Holder Type	:	E27
IP Rating	:	IP 20
CCT	:	2700K

CL-125



IP20

Type	:	**CL-125G CLEAR**
Power	:	4W
Holder Type	:	E27
IP Rating	:	IP 20
CCT	:	2700K

Type	:	**CL-125G CLEAR**
Power	:	8W
Holder Type	:	E27
IP Rating	:	IP 20
CCT	:	2700K





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
101
102
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

SENSOR SNS SERIES

NL-4009SNS









Aluminum Body | IP54 | CRI>80+

Motion Sensor | SENSORS

		16W	24W
Power	:		
Body Color	:	BK | WH	BK | WH
Dimension	:	D170xH40mm	D225xH40mm
Beam Angle	:	120°	120°
CCT	:	3K/4K/6K	3K/4K/6K
Control System	:	ON/OFF	ON/OFF

Application:





- **STAY ON**

The Glass To Detectany Movement Of People,animal ,car Within **3-5m**


- **AUTO OFF**

After **60** Seconds When No Radiant Heat is Detected

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

SENSOR SNS SERIES


NL-4098SNS







ADJUSTABLE LIGHT



Motion Sensor SENSORS

PC Body IP54 CRI>80+

		10W	16W
Power	:	10W	16W
Body Color	:	BK | WH	BK | WH
Dimension	:	D132xH36mm	D155xH36mm
Beam Angle	:	110°	110°
CCT	:	3K/4K/5K/6K(PRE SELECT)	3K/4K/5K/6K(PRE SELECT)
Control System	:	ON/OFF	ON/OFF

Application:





- **STAY ON**

The Glass To Detectany Movement Of People,animal ,car Within **3-5m**

- **AUTO OFF**

After **60** Seconds When No Radiant Heat is Detected

SENSOR SNS SERIES

PC Body

IP20

MOTION SENSOR



Input Voltage	:	**100-265Vac 50/60Hz**
Feature	:	MICROWAVE
Single Lamp Load	:	LED<200W
Multiple Lamp Load	:	LED<60W
Sensing Distance	:	4-8M
Induction Angle	:	120°

MOTION SENSOR RECESSED



Input Voltage	:	**100-265Vac 50/60Hz**
Feature	:	MICROWAVE RECESSED
Single Lamp Load	:	LED<200W
Multiple Lamp Load	:	LED<60W
Sensing Distance	:	4-8M
Induction Angle	:	120°



WARDROBE SENSOR



Operating Voltage	:	**DC12-24V**
Feature	:	SINGLE DOOR / DOUBLE DOOR
Port	:	DuPont Male
Workload	:	12V/60W | 24V100W
Induction Mode	:	Open the door turn on the light Close the door turn off the light





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
27


Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-PR301

Aluminum Body | IP65 | CRI>90+





Power	:	**8W**
Body Color	:	GREY
Dimension	:	315x110mm 600x110mm 900x110mm
Beam Angle	:	35°
CCT	:	ADJ SWITCH 2.7K/3K/4K

Power	:	**15W**
Body Color	:	GREY
Dimension	:	315x110mm 600x110mm 900x110mm
Beam Angle	:	35°
CCT	:	ADJ SWITCH 2.7K/3K/4K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Aluminum Body | IP65 | CRI>90+

NL-PR302




NL-PR302HL


Power	:	**12W**
Body Color	:	GREY
Dimension	:	1200x90mm
Beam Angle	:	110°
CCT	:	3K



NL-PR302WL




Power	:	**12W**
Body Color	:	GREY
Dimension	:	190x135mm
Beam Angle	:	110°
CCT	:	3K



NL-PR302B

Power	:	**12W**
Body Color	:	GREY
Dimension	:	300x65 / 600x65 / 900x65 mm 1200x65 / 1500x65 mm
Beam Angle	:	110°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NL-PR303

Aluminum Body | IP65 | CRI>90+






Power	:	**12W**
Body Color	:	GREY
Dimension	:	65x290x106mm
Beam Angle	:	160°
CCT	:	ADJ SWITCH 2.7K/3K



NL-PR303B



Power	:	**12W**
Body Color	:	GREY
Dimension	:	65x600mm 65x900mm
Beam Angle	:	160°
CCT	:	ADJ SWITCH 2.7K/3K





Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-PR304

Aluminum Body | IP65 | CRI>90+







Power	:	**8W**
Body Color	:	GREY
Dimension	:	265x120x60mm
Beam Angle	:	160°
CCT	:	3K

Power	:	**12W**
Body Color	:	GREY
Dimension	:	450x120x60mm
Beam Angle	:	160°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-PR305WL

Aluminum Body | IP65 | CRI>90+






Power	:	**12W**
Body Color	:	GREY
Dimension	:	120x225x135mm
Beam Angle	:	160°
CCT	:	ADJ SWITCH 2.7K/3K

NL-PR305B



Power	:	**12W**
Body Color	:	GREY
Dimension	:	120x65x600mm 120x65x900mm
Beam Angle	:	160°
CCT	:	ADJ SWITCH 2.7K/3K




NL-PR306

Aluminum Body | IP65 | CRI>90+









Power	:	**8W**
Body Color	:	GREY
Dimension	:	60x110mm
Beam Angle	:	130°
CCT	:	ADJ SWITCH 2.7K/3K/4K


Power	:	**12W**
Body Color	:	GREY
Dimension	:	75x130mm
Beam Angle	:	130°
CCT	:	ADJ SWITCH 2.7K/3K/4K


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-PR307

Aluminum Body | IP65 | CRI>90+



Power	:	**8W**
Body Color	:	DARK GREY
Dimension	:	240x95x70mm 360x95x70mm 460x95x70mm
Beam Angle	:	260°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

Aluminum Body | IP65 | CRI>90+

NL-PR308

Power	:	**12W**
Body Color	:	GREY
Dimension	:	365x95x70mm
Beam Angle	:	260°
CCT	:	3K








NL-PR309

Power	:	**8W**
Body Color	:	GREY
Dimension	:	450x30x44x70mm 590x30x44x70mm
Beam Angle	:	130°
CCT	:	3K





Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-PR310

Aluminum Body | IP65 | CRI>90+







Power	:	**6W**
Body Color	:	GREY
Dimension	:	100x70mm
Beam Angle	:	130°
CCT	:	ADJ SWITCH 2.7K/3K/4K


Power	:	**12W**
Body Color	:	GREY
Dimension	:	150x90mm
Beam Angle	:	130°
CCT	:	ADJ SWITCH 2.7K/3K/4K

NL-PR311

Aluminum Body | IP65 | CRI>90+








Power	:	**8W**
Body Color	:	SAND GREY
Dimension	:	200x60x235mm
Beam Angle	:	120°
CCT	:	3K


Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NL-PR312

Aluminum Body | IP65 | CRI>90+













Power	:	**4W(SMALL)**
Body Color	:	SAND GREY
Dimension	:	115x81x30mm
Beam Angle	:	110°
CCT	:	3K


Power	:	**8W(LARGE)**
Body Color	:	SAND GREY
Dimension	:	150x103x30mm
Beam Angle	:	110°
CCT	:	3K

NL-PR313

Aluminum Body | IP65 | CRI>90+








Power	:	**8W**
Body Color	:	SAND GREY (GLASS:SMOKE)
Dimension	:	120x165xH145mm
Beam Angle	:	220°
CCT	:	3K


Neptune®
LIGHTS
www.neptunelightsindia.com

NL-PR314


Aluminum Body | IP65 | CRI>90+





Power	:	**8W**
Body Color	:	GREY
Dimension	:	650x200x200mm
Beam Angle	:	260°
CCT	:	3K





Power	:	**12W**
Body Color	:	GREY
Dimension	:	750x200x200mm
Beam Angle	:	260°
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE


NL-PR451






Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	::	GREY
Dimension	::	103x103x63mm220V
OutputBe	::	220V5°
Beam Angle	::	5°3K
CCT	:	3K



Power	:	**20W**
Body Color	::	GREY
Dimension	::	148x148x56mm220V
OutputBe	::	220V5°
Beam Angle	::	5°3K
CCT	:	3K




NL-PR452






Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	::	GREY
Dimension	::	102x102x56mm220V
OutputBe	::	220V30°
Beam Angle	::	30°3K
CCT	:	3K



Power	:	**24W**
Body Color	::	GREY
Dimension	::	148x148x56mm220V
OutputBe	::	220V30°
Beam Angle	::	30°3K
CCT	:	3K




NL-PR453


Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	95x65x100mm
Output	:	220V
Beam Angle	:	5°
CCT	:	3K



Power	:	**12W**
Body Color	:	GREY
Dimension	:	95x65x100mm
Output	:	220V
Beam Angle	:	25°
CCT	:	3K




NL-PR453


Aluminum Body | IP65 | CRI>80+



Power	:	**18W**
Body Color	:	GREY
Dimension	:	150x90x90mm
Output	:	220V
Beam Angle	:	5°
CCT	:	3K



Power	:	**18W**
Body Color	:	GREY
Dimension	:	150x90x90mm
Output	:	220V
Beam Angle	:	25°
CCT	:	3K




NL-PR454




Aluminum Body | IP65 | CRI>80+

Power	:	**24W**
Body Color	::	GREY
Dimension	::	193x140x65mm220V
OutputBe	::	220V30°
Beam Angle	::	30°3K
CCT	:	3K



Power	:	**36W**
Body Color	::	GREY
Dimension	::	272x140x65mm220V
OutputBe	::	220V30°
Beam Angle	::	30°3K
CCT	:	3K




NL-PR455




Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	::	GREY
Dimension	::	65x95x65mm220V
OutputBe	::	220V5°
Beam Angle	::	5°3K
CCT	:	3K



Power	:	**12W**
Body Color	::	GREY
Dimension	::	65x95x65mm220V
OutputBe	::	220V25°
Beam Angle	::	25°3K
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-PR471





Aluminum Body | IP65 | CRI>80+

Power	:	**12W**	**18W**	**36W**
Body Color	:	GREY	GREY	GREY
Dimension	:	295x35x45mm	495x35x45mm	990x35x45mm
Output	:	220V	220V	220V
Beam Angle	:	5°	5°	5°
CCT	:	3K	3K	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-PR472





Aluminum Body | IP65 | CRI>80+

NL-PR472-220V

Power	:	**18W**
Body Color	:	GREY
Dimension	:	D495x35x45mm
Output	:	220V
Beam Angle	:	30°
Lumens	:	1800LM±5%
CCT	:	3K

Power	:	**36W**
Body Color	:	GREY
Dimension	:	D990x35x45mm
Output	:	220V
Beam Angle	:	30°
Lumens	:	3600LM±5%
CCT	:	3K

NL-PR472-24V

Power	:	**18W**
Body Color	:	GREY
Dimension	:	D495x35x45mm
Output	:	24V
Beam Angle	:	30°
Lumens	:	1800LM±5%
CCT	:	3K

Power	:	**36W**
Body Color	:	GREY
Dimension	:	D990x35x45mm
Output	:	24V
Beam Angle	:	30°
Lumens	:	3600LM±5%
CCT	:	3K

SHEEN (IP54)



Power	:	**8W**
Body Color	:	BK | WH GUN BK | BRASS
Dimension	:	71x63mm
Cutout	:	Ø63mm
Beam Angle	:	38°
Lumens	:	720LM±5%
CCT	:	3K/4K/5K

Aluminum Body | IP54 | CRI>90+

Power	:	**15W**
Body Color	:	BK | WH GUN BK | BRASS
Dimension	:	88x80mm
Cutout	:	Ø83mm
Beam Angle	:	38°
Lumens	:	1350LM±5%
CCT	:	3K/4K/5K

NL-6575

Aluminum Body | IP65 | CRI>80+



Power	:	**7W**
Body Color	:	BK+GB | WH+WH
Dimension	:	62x58mm
Cutout	:	Ø55mm
Beam Angle	:	36°
CCT	:	3K/4K/5K

Power	:	**12W**	**18W**
Body Color	:	BK+GB | WH+WH	BK+GB | WH+WH
Dimension	:	83x62mm	105x75mm
Cutout	:	Ø75mm	Ø95mm
Beam Angle	:	36°	36°
CCT	:	3K/4K/5K	3K/4K/5K

ZENITH-S (IP54)

Aluminum Body | IP54 | CRI>90+




Power	:	**12W**
Body Color	:	BK+MATT BK WH+WH
Dimension	:	D102x42xH57mm
Lumens	:	960lm±5%
Beam Angle	:	50°
CCT	:	3K/4K/5K

Power	:	**18W**
Body Color	:	BK+MATT BK WH+WH
Dimension	:	D152x42xH57mm
Lumens	:	1440lm±5%
Beam Angle	:	50°
CCT	:	3K/4K/5K

NL-6565

Aluminum Body | IP65 | CRI>80+



Power	:	**10W**
Body Color	:	BK | WH
Dimension	:	62x76mm
Beam Angle	:	36°
CCT	:	3K/4K

Power	:	**18W**	**24W**
Body Color	:	BK | WH	BK | WH
Dimension	:	83x88mm	105x105mm
Beam Angle	:	36°	36°
CCT	:	3K/4K	3K/4K

NL-3535




Power	:	**10W**
Body Color	:	BK
Dimension	:	D70xH95mm
Beam Angle	:	38°
CCT	:	3K/4K/6K

Aluminum Body | IP54 | CRI>80+

Power	:	**15W**
Body Color	:	BK
Dimension	:	D75xH110mm
Beam Angle	:	38°
CCT	:	3K/4K/6K

NL-3545



Power	:	**7W**
Body Color	:	BK
Dimension	:	60x64mm
Beam Angle	:	60°
CCT	:	3K/4K/6K

Aluminum Body | IP54 | CRI>80+

Power	:	**12W**	**18W**
Body Color	:	BK	BK
Dimension	:	75x77mm	90x92mm
Beam Angle	:	60°	60°
CCT	:	3K/4K/6K	3K/4K/6K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-4008

Aluminum Body | IP54 | CRI>80+







Power	:	**8W**	**15W**
Body Color	:	BK	BK
Body Shape	:	RD / SQ	RD / SQ
Dimension	:	D90xH46mm(RD) / D90x90xH46mm(SQ)	D140xH46mm(RD) / D140x140xH46mm(SQ)
Beam Angle	:	120°	120°
CCT	:	3K/4K/6K	3K/4K/6K


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3030



Aluminum Body | IP54 | CRI>80+

Power	:	**5W**
Body Color	:	BK
Dimension	:	D68xH30mm
Beam Angle	:	45°
CCT	:	3K/4K/6K




NL-2525



Aluminum Body | IP54 | CRI>80+

Power	:	**3W**
Body Color	:	BK | WH
Dimension	:	D60xH15mm
Beam Angle	:	100°
CCT	:	3K/4K/6K




NL-2626



Aluminum Body | IP54 | CRI>80+

Power	:	**5W**
Body Color	:	WOOD | GUN BK
Dimension	:	D60xH14.5mm
Beam Angle	:	100°
CCT	:	3K/4K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

FOOT LIGHT

Aluminum Body | IP65 | CRI>80+










		NL-FL 03	NL-FL 05
Power	:	**3W**	**5W**
Body Color	:	GREY | WH | BK	GREY | WH | BK
Dimension	:	D54x54mm	D84x84mm
Cutout	:	Ø45x45mm	70x70mm
Beam Angle	:	50°	50°
CCT	:	3K	3K



NL-FL06



Aluminum Body | IP65 | CRI>80+

Power	:	**1W**
Body Color	:	GREY | WH | BK
Dimension	:	45x78mm
Cutout	:	42mm
Beam Angle	:	360°
CCT	:	3K



NL-FL07



Aluminum Body | IP65 | CRI>80+

Power	:	**3W**
Body Color	:	GREY | WH | BK
Dimension	:	D50x90mm
Cutout	:	45mm
Beam Angle	:	15°
CCT	:	3K



NL-FL19

Aluminum Body | IP65 | CRI>80+










Power	:	**1W**
Body Color	:	GREY
Dimension	:	45mm(RD)/45x45mm(SQ)
Cutout	:	Ø40mm
Body Shape	:	RD / SQ
Beam Angle	:	60°
CCT	:	3K


NL-FL29

Aluminum Body | IP65 | CRI>80+





Power	:	**1W**
Body Color	:	GREY
Dimension	:	45x45mm
Cutout	:	Ø40mm
Beam Angle	:	15°
Body Shape	:	RD/SQ
CCT	:	3K



NL-FL1204

Aluminum Body | IP65 | CRI>80+









		3W(SMALL)	3W(MEDIUM)	6W(LARGE)
Power	:			
Body Color	:	GREY	GREY	GREY
Dimension	:	75x75x62mm	92x70x52mm	150x70x54mm
Cutout	:	Ø70x70mm	Ø85x65mm	Ø145x65mm
Beam Angle	:	160°	160°	160°
CCT	:	3K	3K	3K





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE


www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-2008



Power	:	**3W**
Body Color	:	GREY
Dimension	:	D104x60x53mm
Cutout	:	99x54x48mm
Beam Angle	:	45°
CCT	:	3K




NL-2010

Aluminum Body | IP65 | CRI>80+



Power	:	**3W**
Body Color	:	GREY
Dimension	:	D104x59x53mm
Cutout	:	99x54x48mm
Beam Angle	:	45°
CCT	:	3K




NL-2009

Aluminum Body | IP65 | CRI>80+



NL-2009M


Power	:	**5W**
Body Color	:	GREY
Dimension	:	D160x100mm
Cutout	:	Ø125x75mm
Beam Angle	:	45°
CCT	:	3K





NL-2009S

Power	:	**5W**
Body Color	:	GREY
Dimension	:	D145x70mm
Cutout	:	Ø105x50mm
Beam Angle	:	45°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-2802

Aluminum Body | IP65 | CRI>80+












		2W	4W	6W
Power	:	**2W**	**4W**	**6W**
Body Color	:	GREY	GREY	GREY
Dimension	:	D114x114x65mm	D170x114x65mm	D226x114x65mm
Cutout	:	110x90x60mm	165x90x60mm	205x90x60mm
Beam Angle	:	60°	60°	60°
CCT	:	3K	3K	3K











NL-2005




Aluminum Body | IP65 | CRI>80+

Power	:	**3W**
Body Color	:	GREY
Dimension	:	D103x58x55mm
Cutout	:	98x53x50mm
Beam Angle	:	45°
CCT	:	3K




NL-2013



Aluminum Body | IP65 | CRI>80+

Power	:	**5W**
Body Color	:	GREY
Dimension	:	D210x60x55mm
Cutout	:	Ø205x55x50mm
Beam Angle	:	100°
CCT	:	3K



NL-0206



Aluminum Body | IP65 | CRI>80+


Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	D130x60mm
Beam Angle	:	60°
CCT	:	3K







NL-2104




Power	:	**4W**
Body Color	:	GREY
Dimension	:	D93x71x45mm
Beam Angle	:	100°
CCT	:	3K



NL-2108

Aluminum Body | IP65 | CRI>80+



Power	:	**8W**
Body Color	:	GREY
Dimension	:	D150x71x45mm
Beam Angle	:	100°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-2202



Power : **7W**
Body Color : GREY
Dimension : 148x35mm
Beam Angle : 120°
CCT : 3K



NL-2203

Aluminum Body | IP65 | CRI>80+



Power : **7W**
Body Color : GREY
Dimension : 148x35x148mm
Beam Angle : 120°
CCT : 3K



NL-3202



Power : **5W**
Body Color : GREY
Dimension : D102xH35mm
Beam Angle : 120°
CCT : 3K




NL-3203

Aluminum Body | IP65 | CRI>80+



Power : **5W**
Body Color : GREY
Dimension : 102x102x35mm
Beam Angle : 120°
CCT : 3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-2204

Aluminum Body | IP65 | CRI>80+



Power	:	**7W**
Body Color	:	GREY
Dimension	:	200x35x90mm
Beam Angle	:	120°
CCT	:	3K




Power	:	**12W**
Body Color	:	GREY
Dimension	:	250x100x40mm
Beam Angle	:	120°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



NL-1204



Aluminum Body | IP65 | CRI>80+


Power	:	**3W**
Body Color	:	GREY
Dimension	:	D92x70xH32mm
Beam Angle	:	160°
CCT	:	3K

Power	:	**6W**
Body Color	:	GREY
Dimension	:	D150x70xH32mm
Beam Angle	:	160°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NL-5085



Power : **12W**
Body Color : GREY
Dimension : 220x80x110mm
Beam Angle : 100°
CCT : 3K

NL-5086

Aluminum Body | IP65 | CRI>80+



Power : **12W**
Body Color : GREY
Dimension : 220x80x110mm
Beam Angle : 100°
CCT : 3K

NL-5087



Power : **10W**
Body Color : GREY
Dimension : 111x111x105mm
Beam Angle : 100°
CCT : 3K

NL-5089

Aluminum Body | IP65 | CRI>80+



Power : **10W**
Body Color : GREY
Dimension : 111x111x105mm
Beam Angle : 100°
CCT : 3K

NL-4070





Aluminum Body | IP65 | CRI>90+



Power	:	**7W(SQ)**
Body Color	:	GREY
Dimension	:	D108x82mm
Beam Angle	:	100°
CCT	:	3K



Power	:	**7W(RD)**
Body Color	:	GREY
Dimension	:	D108x80mm
Beam Angle	:	100°
CCT	:	3K

NL-5040



Aluminum Body | IP65 | CRI>90+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	180x115x60mm
Beam Angle	:	90°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-5060

Aluminum Body | IP65 | CRI>80+



Power	:	**9W**
Body Color	:	GREY
Dimension	:	D165x35mm
Beam Angle	:	90°
CCT	:	3K





NL-5065



Aluminum Body | IP65 | CRI>80+

Power	:	**12W**	**18W**
Body Color	:	GREY	GREY
Dimension	:	220x135mm	280x135mm
Beam Angle	:	90°	100°
CCT	:	3K	3K

NL-5075


Aluminum Body | IP65 | CRI>80+








Power	:	**8W**	**12W**	**18W**
Body Color	:	GREY	GREY	GREY
Dimension	:	150x30x135mm	200x30x135mm	250x30x135mm
Beam Angle	:	100°	100°	100°
CCT	:	3K	3K	3K













Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3037

Aluminum Body | IP65 | CRI>80+






Power	:	**6W**
Body Color	:	GREY
Dimension	:	121x63x60mm
Beam Angle	:	90°
CCT	:	3K



NL-3038


Aluminum Body | IP65 | CRI>90+






Power	:	6W
Body Color	:	GREY
Dimension	:	121x75x75mm
Beam Angle	:	90°
CCT	:	3K





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE







Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-8109




Power	:	**9W**
Body Color	:	GREY | WH
Dimension	:	D125x92xH39mm
Beam Angle	:	3*115°
CCT	:	2700K

NL-8509



Power	:	**9W**
Body Color	:	GREY | WH
Dimension	:	D85x85xH68mm
Beam Angle	:	3*115°
CCT	:	2700K





NL-8209






Power	:	**6W**
Body Color	:	GREY
Dimension	:	D140x130xH60mm
Beam Angle	:	3*115°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-2007

Aluminum Body | IP65 | CRI>80+



Power	:	**3W**
Body Color	:	GREY
Dimension	:	D25x25xH75mm
Beam Angle	:	5°
CCT	:	3K



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	D60x40xH120mm
Beam Angle	:	5+5°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3303

Aluminum Body | IP65 | CRI>80+





Power	:	**3W**
Body Color	:	GREY
Dimension	:	74x50x109mm
Beam Angle	:	60°
CCT	:	3K




Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	50x74x142mm
Beam Angle	:	60+60°
CCT	:	3K




NL-3304






Power	:	**3W**
Body Color	:	GREY
Dimension	:	74x50x109mm
Beam Angle	:	60°
CCT	:	3K



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	50x74x142mm
Beam Angle	:	60+60°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-5005



Power : **5W**
Body Color : GREY
Dimension : D68x80xH100mm
Beam Angle : 38°
CCT : 3K




NL-5010

Aluminum Body | IP65 | CRI>80+



Power : **2x5W**
Body Color : GREY
Dimension : D66x80xH160mm
Beam Angle : 38+38°
CCT : 3K



NL-6005



Power : **5W**
Body Color : GREY
Dimension : D68x80xH100mm
Beam Angle : 38°
CCT : 3K




NL-6010

Aluminum Body | IP65 | CRI>80+



Power : **2x5W**
Body Color : GREY
Dimension : D68x80xH160mm
Beam Angle : 38+38°
CCT : 3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-2503



Power	:	**3W**
Body Color	:	GREY
Dimension	:	D75x80x63mm
Beam Angle	:	36°
CCT	:	3K



NL-2506

Aluminum Body | IP65 | CRI>80+



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	D142x80x63mm
Beam Angle	:	36+36°
CCT	:	3K




NL-1506



Aluminum Body | IP65 | CRI>80+

Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	D200x95x55mm
Beam Angle	:	10+60°
CCT	:	3K



NL-3019







Power	:	**5W**		**9W**		**2x5W**	**2x9W**
Body Color	:	GREY		GREY		GREY	GREY
Dimension	:	D85x65xH100mm		D90x120xH130mm		D85x65xH130mm	D90x120xH130mm
Beam Angle	:	38°		38°		38+38°	38+38°
CCT	:	3K		3K		3K	3K

NL-3001







Power	:	**5W**		**9W**		**2x5W**	**2x9W**
Body Color	:	GREY		GREY		GREY	GREY
Dimension	:	D65x95xH100mm		D90x120xH138mm		D65x100xH110mm	D90x120xH155mm
Beam Angle	:	40°		40°		40+40°	40+40°
CCT	:	3K		3K		3K	3K



NL-5017



Power	:	**5W**	**2x5W**	
Body Color	:	GREY	GREY	
Dimension	:	D54x66x56mm	D54x100x56mm	
Beam Angle	:	40°	40+40°	
CCT	:	3K	3K	

NL-6019

Aluminum Body | IP65 | CRI>80+







Power	:	**5W**	**2x5W**	
Body Color	:	GREY	GREY	
Dimension	:	D54x66x56mm	D54x100x56mm	
Beam Angle	:	40°	40+40°	
CCT	:	3K	3K	

NL-3503

Aluminum Body | IP65 | CRI>80+



Power : **1x3W**
Body Color : GREY
Dimension : D53x42xH80mm
Beam Angle : 90°
CCT : 3K



Power : **2x3W**
Body Color : GREY
Dimension : D53x42xH135mm
Beam Angle : 90+90°
CCT : 3K



NL-252

Aluminum Body | IP65 | CRI>80+



Power : **2x3W**
Body Color : GREY
Dimension : D55x89x161mm
Beam Angle : 38+38°
CCT : 3K




Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3007

Aluminum Body | IP65 | CRI>80+



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	D100x75.6xH160mm
Beam Angle	:	30+30°
CCT	:	3K



NL-202


Aluminum Body | IP65 | CRI>80+



Power	:	**3W**
Body Color	:	GREY
Dimension	:	80x60x35mm
Beam Angle	:	60°
CCT	:	3K



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	80x60x35mm
Beam Angle	:	60+60°
CCT	:	3K




Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-204

Aluminum Body | IP65 | CRI>80+



Power	:	**6W**
Body Color	:	GREY
Dimension	:	D85x56xH90mm
Beam Angle	:	60+60°
CCT	:	3K





NL-2068

Aluminum Body | IP65 | CRI>80+




Power	:	**1x3W**
Body Color	:	WH | GREY
Dimension	:	D45x12xH50mm
Beam Angle	:	60°
CCT	:	3K






Power	:	**2x3W**
Body Color	:	WH | GREY
Dimension	:	D45x12xH50mm
Beam Angle	:	60+60°
CCT	:	3K




NL-4032

Aluminum Body | IP65 | CRI>80+



Power	:	**1W**
Body Color	:	WH | GREY
Dimension	:	50x35mm
Beam Angle	:	60°
CCT	:	3K



Power	:	**2W**
Body Color	:	WH | GREY
Dimension	:	50x35mm
Beam Angle	:	60+60°
CCT	:	3K



NL-1616

Aluminum Body | IP65 | CRI>80+



Power	:	**16W**
Body Color	:	GREY
Dimension	:	D134x43mm
Beam Angle	:	360°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE













Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-4030

Aluminum Body | IP65 | CRI>80+



Power	:	**2x3W**
Body Color	:	GREY
Dimension	:	85x82x70mm
Beam Angle	:	60+60°
CCT	:	3K




NL-4004

Aluminum Body | IP65 | CRI>80+




Power	:	**1x2W**
Body Color	:	GREY
Dimension	:	70x70x51mm
Beam Angle	:	45+45°
CCT	:	3K





Power	:	**1x4W**
Body Color	:	GREY
Dimension	:	70x70x51mm
Beam Angle	:	4*45°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-6006



Aluminum Body | IP65 | CRI>80+

Power	:	**1x6W**
Body Color	:	GREY
Dimension	:	D120xH50mm
Beam Angle	:	6*15°
CCT	:	3K




NL-8012




Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	120x56mm
Beam Angle	:	60°
CCT	:	3K




NL-2012SQ



Aluminum Body | IP65 | CRI>80+

Power	:	**4x3W**
Body Color	:	GREY
Dimension	:	D100x100xH51mm
Beam Angle	:	4*10°
CCT	:	3K



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-7007



Aluminum Body | IP65 | CRI>80+

Power	:	**1x4+3W**
Body Color	:	GREY
Dimension	:	D100x100xH65mm
Beam Angle	:	4x8°
CCT	:	3K




NL-4012



Aluminum Body | IP65 | CRI>80+

Power	:	**4x3W**
Body Color	:	GREY
Dimension	:	D100x90mm
Beam Angle	:	4*60°
CCT	:	3K



NL-4014



Aluminum Body | IP65 | CRI>80+

Power	:	**5x1W**
Body Color	:	GREY
Dimension	:	D95x85mm
CCT	:	3K



NL-4094

Aluminum Body | IP65 | CRI>80+






Power	:	**4W**
Body Color	:	WH | GREY
Dimension	:	45x45mm
Beam Angle	:	4x60°
CCT	:	3K




NL-6106

Aluminum Body | IP65 | CRI>80+



Power	:	**3x1W**
Body Color	:	GREY
Dimension	:	D50xH30mm
Beam Angle	:	3x60°
CCT	:	3K





Power	:	**6x1W**
Body Color	:	GREY
Dimension	:	D83xH30mm
Beam Angle	:	6x60°
CCT	:	3K





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NL-1004

Aluminum Body | IP65 | CRI>80+




Power	:	**1x4W**
Body Color	:	GREY
Dimension	:	D115x38xH78mm
Beam Angle	:	60°
CCT	:	3K





Power	:	**1x6W**
Body Color	:	GREY
Dimension	:	D168x45xH78mm
Beam Angle	:	60°
CCT	:	3K



NL-1044

Aluminum Body | IP65 | CRI>80+



Power	:	**4x1W**	**8x1W**	**12x1W**
Body Color	:	GREY	GREY	GREY
Dimension	:	35x20x96mm	35x20x203mm	35x20x290mm
Beam Angle	:	60°	60°	60°
CCT	:	3K	3K	3K







Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-6020

Aluminum Body | IP65 | CRI>80+



Power	:	**2x6W**
Body Color	:	GREY
Dimension	:	114x28x90mm
Beam Angle	:	100+100°
CCT	:	3K




Power	:	**2x8W**
Body Color	:	GREY
Dimension	:	174x28x90mm
Beam Angle	:	100+100°
CCT	:	3K



NL-4504

Aluminum Body | IP65 | CRI>80+










Power	:	**1x2W**	**1x4W**	**1x6W**
Body Color	:	GREY	GREY	GREY
Dimension	:	80x38x70mm	115x38x78mm	168x38x58mm
Beam Angle	:	45+45°	45+45°	45+45°
CCT	:	3K	3K	3K



NL-4022


Aluminum Body | IP65 | CRI>80+



Power	:	**1x1W**
Body Color	:	WH | BK
Dimension	:	33x45x35mm
Beam Angle	:	60°
CCT	:	3K



Power	:	**2x1W**
Body Color	:	WH | BK
Dimension	:	33x45x35mm
Beam Angle	:	60+60°
CCT	:	3K




NL-999

Aluminum Body | IP65 | CRI>80+



Power	:	**2x3W**
Body Color	:	WH | BK | GREY
Dimension	:	D100x100xH100mm
Beam Angle	:	ADJ BEAM ANGLE
CCT	:	3K



NL-8003

Aluminum Body | IP65 | CRI>80+




Power	:	**1x3W**
Body Color	:	GREY
Dimension	:	D160x50mm
CCT	:	3K





NL-6021

Aluminum Body | IP65 | CRI>80+



Power	:	**6W**	**10W**	**15W**
Body Color	:	GREY	GREY	GREY
Dimension	:	25x25xH145mm	25x25xH205mm	25x25xH300mm
Beam Angle	:	180°	180°	180°
CCT	:	3K	3K	3K



NL-4060

Aluminum Body | IP65 | CRI>80+







Power	:	**2x6W(SQ)**
Body Color	:	GREY
Dimension	:	D90x80x110mm
Beam Angle	:	100+100°
CCT	:	3K

Power	:	**2x6W(RD)**
Body Color	:	GREY
Dimension	:	83x110mm
Beam Angle	:	100+100°
CCT	:	3K

NL-4050

Aluminum Body | IP65 | CRI>80+







Power	:	**2x6W**
Body Color	:	GREY
Dimension	:	90x69x110mm(SQ)
Beam Angle	:	100+100°
CCT	:	3K

Power	:	**2x6W**
Body Color	:	GREY
Dimension	:	69x110mm(RD)
Beam Angle	:	100+100°
CCT	:	3K

NL-6003



Aluminum Body | IP65 | CRI>80+

Power	:	**18W**
Body Color	:	GREY
Dimension	:	D65x230mm
Beam Angle	:	100°
CCT	:	3K



NL-6303



Aluminum Body | IP65 | CRI>80+

Power	:	**15W**
Body Color	:	GREY
Dimension	:	170x100x192mm
Beam Angle	:	100°
CCT	:	3K

NL-6018



Aluminum Body | IP65 | CRI>80+

Power	:	**18W**
Body Color	:	GREY
Dimension	:	160x156x220mm
Beam Angle	:	90°
CCT	:	3K

NL-7003



Aluminum Body | IP65 | CRI>80+

ROTATION

90° 360°



WITH SENSOR

Power	:	**12W**
Body Color	:	GREY
Dimension	:	121x152x465mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**12W(SENSOR)**
Body Color	:	GREY
Dimension	:	121x152x465mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-9003

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	168x150x124mm
Beam Angle	:	160°
CCT	:	3K



NL-6001

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	195x75x170mm
Beam Angle	:	120°
CCT	:	3K




Power	:	**12W**
Body Color	:	GREY
Dimension	:	170x75x170mm
Beam Angle	:	120°
CCT	:	3K



Neptune®
LIGHTS
ILLUMINATE YOUR LIFE


NL-7788

Aluminum Body | IP65 | CRI>80+












7788 S

Power	:	**3W**	**8W**	**14W**
Body Color	::	GREY	GREY	GREY
Dimension	::	100x45xH160mm	100x66xH160mm	100x66xH160mm
Beam Angle	::	36°	36°	36°
CCT	:	3K	3K	3K












7788 B

Power	:	**3W**	**8W**	**14W**
Body Color	::	GREY	GREY	GREY
Dimension	::	100x45xH160mm	100x66xH160mm	100x66xH160mm
Beam Angle	::	36°	36°	36°
CCT	:	3K	3K	3K









7788 X

Power	:	**3W**	**8W**	**14W**
Body Color	::	GREY	GREY	GREY
Dimension	::	100x45xH160mm	100x66xH160mm	100x66xH160mm
Beam Angle	::	36°	36°	36°
CCT	:	3K	3K	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



SPIKE





Aluminum Body | IP65 | CRI>80+

Power	:	**3W**	**7W**	**12W**
Body Color	:	BK	BK	BK
Dimension	:	42xH72mm	50xH78mm	63xH83mm
Beam Angle	:	38°	38°	38°
CCT	:	WW/WH/BL/RD/GR/PK/AR	WW/WH/BL/RD/GR/PK/AR	WW/WH/BL/RD/GR/PK/AR

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-5088




Aluminum Body | IP65 | CRI>80+

Power	:	**3W**
Body Color	:	GREY
Dimension	:	45x88x75mm
Beam Angle	:	15°
CCT	:	3K

Power	:	**7W**	**12W**
Body Color	:	GREY	GREY
Dimension	:	57x105x88.5mm	57x115x88.5mm
Beam Angle	:	24°	24°
CCT	:	3K	3K

NL-9988






Aluminum Body | IP65 | CRI>80+


		3W	7W	12W	18W
Power	:	**3W**	**7W**	**12W**	**18W**
Body Color	::	GREY	GREY	GREY	GREY
Dimension	::	70x106mm	70x106mm	91.5x115mm	91.5x115mm
Beam Angle	::	36°	36°	36°	36°
CCT	:	3K	3K	3K	3K

NL-1166


Aluminum Body | IP65 | CRI>80+














		5W(SPIKE)	10W(SPIKE)	5W(SURFACE)	10W(SURFACE)
Power	:	**5W(SPIKE)**	**10W(SPIKE)**	**5W(SURFACE)**	**10W(SURFACE)**
Body Color	::	GREY	GREY	GREY	GREY
Dimension	::	37x105x262mm	52x142x277mm	37x105x155x60mm	52x142x175x80mm
Beam Angle	::	30°	30°	30°	30°
CCT	:	3K	3K	3K	3K



NL-7744



Aluminum Body | IP65 | CRI>80+

Power	:	**3W**	**15W**	**20W**
Body Color	:	GREY	GREY	GREY
Dimension	:	D42xH105mm	D79xH153mm	D80xH190mm
Beam Angle	:	5°	5°	5°
CCT	:	3K	3K	3K

NL-7744(X)



Aluminum Body | IP65 | CRI>80+

Power	:	**24W**
Body Color	:	GREY
Dimension	:	110x140x380mm
Beam Angle	:	40°
CCT	:	3K

NL-GB221

Aluminum Body | IP65 | CRI>80+








Power	:	**12W**
Body Color	:	SS
Dimension	:	D110xH112mm
Cutout	:	Ø105x115mm
Beam Angle	:	38°
CCT	:	3K

NL-GB222

Aluminum Body | IP65 | CRI>80+





Power	:	**1*2W**
Body Color	:	GREY
Dimension	:	105x130mm
Cutout	:	Ø95x100mm
Beam Angle	:	1*90°
CCT	:	3K







Power	:	**2*2W**
Body Color	:	GREY
Dimension	:	105x130mm
Cutout	:	Ø95x100mm
Beam Angle	:	2*90°
CCT	:	3K








Power	:	**3*2W**
Body Color	:	GREY
Dimension	:	105x130mm
Cutout	:	Ø95x100mm
Beam Angle	:	3*90°
CCT	:	3K







Power	:	**4*2W**
Body Color	:	GREY
Dimension	:	105x130mm
Cutout	:	Ø95x100mm
Beam Angle	:	4*90°
CCT	:	3K





Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com


NL-GB223

Aluminum Body | IP65 | CRI>80+





Power	:	**0.5W**
Body Color	:	GREY
Dimension	:	65x70mm
Cutout	:	Ø95x100mm
Beam Angle	:	1*90°
CCT	:	3K








Power	:	**1W**
Body Color	:	GREY
Dimension	:	65x70mm
Cutout	:	Ø95x100mm
Beam Angle	:	2*90°
CCT	:	3K








Power	:	**1.5W**
Body Color	:	GREY
Dimension	:	65x70mm
Cutout	:	Ø95x100mm
Beam Angle	:	3*90°
CCT	:	3K







Power	:	**2W**
Body Color	:	GREY
Dimension	:	65x70mm
Cutout	:	Ø95x100mm
Beam Angle	:	4*90°
CCT	:	3K



NL-GB225

Aluminum Body | IP65 | CRI>80+







Power	:	**5W**
Body Color	:	GREY
Dimension	:	D65xH78mm
Cutout	:	Ø60mm
Beam Angle	:	36°
CCT	:	3K

Power	:	**10W**
Body Color	:	GREY
Dimension	:	D105xH80mm
Cutout	:	Ø100mm
Beam Angle	:	36°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-GB226

Aluminum Body | IP65 | CRI>80+





Power	:	**3W**
Body Color	:	SS
Dimension	:	65x78mm
Beam Angle	:	36°
CCT	:	3K



Power	:	**7W**
Body Color	:	SS
Dimension	:	105x80mm
Beam Angle	:	36°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-4082



Power	:	**12W**
Body Color	:	BK
Dimension	:	210x130x270mm
Beam Angle	:	160°
CCT	:	3K

NL-9912

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	150x290mm
Beam Angle	:	160°
CCT	:	3K

NL-9067



Power	:	**8W**
Body Color	:	GREY
Dimension	:	170x230x193mm
Beam Angle	:	160°
CCT	:	3K

NL-9067WL

Aluminum Body | IP65 | CRI>80+



Power	:	**8W**
Body Color	:	GREY
Dimension	:	170x297mm
Beam Angle	:	160°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE





NL-9007



Power	:	**8W**
Body Color	:	BK
Dimension	:	150x290mm
Beam Angle	:	160°
CCT	:	3K

NL-9007WL



Aluminum Body | IP65 | CRI>80+

Power	:	**8W**
Body Color	:	BK
Dimension	:	150xH230mm
Beam Angle	:	160°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-16002

Aluminum Body | IP65






Power	:	**B22**
Body Color	:	BK | ANTIQUE GOLD
Dimension	:	210xH375mm
CCT	:	3K

NL-16004





Power	:	**B22**
Body Color	:	BK | ANTIQUE GOLD
Dimension	:	210xH375mm
CCT	:	3K

NL-16006





Power	:	**B22**
Body Color	:	BK | ANTIQUE GOLD
Dimension	:	210xH375mm
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-4090

Aluminum Body | IP65 | CRI>80+



Power : **6W (SQ)**
Body Color : GREY
Dimension : D105x105xH108mm
Beam Angle : 100°
CCT : 3K



Power : **6W(RD)**
Body Color : GREY
Dimension : D108x105mm
Beam Angle : 100°
CCT : 3K

NL-4080


Aluminum Body | IP65 | CRI>80+



Power : **10W(SQ)**
Body Color : GREY
Dimension : D160x160xH100mm
Beam Angle : 100°
CCT : 3K



Power : **10W(RD)**
Body Color : GREY
Dimension : D160xH100mm
Beam Angle : 100°
CCT : 3K



NL-1064



Aluminum Body | IP65 | CRI>80+

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	224x225mm
CCT	:	3K

NL-9009



Aluminum Body | IP65 | CRI>80+

Power	:	**10W**
Body Color	:	GREY
Dimension	:	250x250x215mm
Beam Angle	:	100°
CCT	:	3K

NL-2408

Aluminum Body | IP65 | CRI>80+



Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150x175mm
CCT	:	3K

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	225x225mm
CCT	:	3K

NL-1062

Aluminum Body | IP65 | CRI>80+



Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150x160mm
CCT	:	3K

Power	:	**E27(Base)**	**E27(Base)**
Body Color	:	GREY	GREY
Dimension	:	200x250mm	250x265mm
CCT	:	3K	3K

NL-1190



Aluminum Body | IP65 | CRI>80+

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D225x225xH250mm
CCT	:	3K

NL-4250



Aluminum Body | IP65 | CRI>80+

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150xH230mm
CCT	:	3K

NL-15140



Aluminum Body | IP65 | CRI>80+

Power	:	E27(Base)
Body Color	:	GREY
Dimension	:	150xH250mm
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE













Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-8203



Aluminum Body | IP65 | CRI>80+

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150xH213mm
CCT	:	3K

NL-6430



Aluminum Body | IP65 | CRI>80+

Power	:	**7W**
Body Color	:	GREY
Dimension	:	150xH250mm
Beam Angle	:	120°
CCT	:	3K

NL-7021



Aluminum Body | IP65 | CRI>80+

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	225x230mm
CCT	:	3K

NL-1116



Aluminum Body | IP65

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150x213mm
CCT	:	3K

NL-1113



Aluminum Body | IP65

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D150xH213mm
CCT	:	3K

NL-3506



Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	175x225mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-5031



Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	250x225mm
Beam Angle	:	120°
CCT	:	3K



NL-15370



Aluminum Body | IP65 | CRI>80+

Power	:	**7W**
Body Color	:	GREY
Dimension	:	150x150mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-1066



Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150xH225mm
CCT	:	3K

NL-1082

Aluminum Body · IP65



Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	225x200mm
CCT	:	3K



NL-0064

Aluminum Body · IP65




Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	300mm
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-7906

Aluminum Body | IP65 | CRI>80+




NL-7906 WL

Power	:	**7W**
Body Color	:	GREY
Dimension	:	72x140x180mm
Beam Angle	:	60°
CCT	:	3K








NL-7906

Power	:	**7W**
Body Color	:	GREY
Dimension	:	L72xW105xH250 L72xW105xH500 L72xW105xH1000
Beam Angle	:	60°
CCT	:	3K

With Base & With Spike



With Base



With Spike




Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-7035



Aluminum Body | IP65 | CRI>80+

WALL LIGHT

Power	:	**18W**
Body Color	:	GREY
Dimension	:	170x340x212mm
Beam Angle	:	120°
CCT	:	3K



GATE LIGHT

Power	:	**18W**
Body Color	:	GREY
Dimension	:	170x300mm
Beam Angle	:	120°
CCT	:	3K



GARDEN LIGHT

Power	:	**18W**
Body Color	:	GREY
Dimension	:	800x170mm
Beam Angle	:	120°
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-7037



Aluminum Body | IP65 | CRI>80+

WALL LIGHT

Power	:	**16W**
Body Color	:	GREY
Dimension	:	220x190x170mm
Beam Angle	:	120°
CCT	:	3K



GATE LIGHT

Power	:	**16W**
Body Color	:	GREY
Dimension	:	170x300mm
Beam Angle	:	120°
CCT	:	3K



GARDEN LIGHT

Power	:	**16W**
Body Color	:	GREY
Dimension	:	170x1000mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-7038



Aluminum Body | IP65 | CRI>80+

WALL LIGHT

Power	:	**24W**
Body Color	:	GREY
Dimension	:	260x340x220mm
Beam Angle	:	120°
CCT	:	3K



GATE LIGHT

Power	:	**24W**
Body Color	:	GREY
Dimension	:	350x220mm
Beam Angle	:	120°
CCT	:	3K



GARDEN LIGHT

Power	:	**24W**
Body Color	:	GREY
Dimension	:	220x1000mm
Beam Angle	:	120°
CCT	:	3K

NL-8164

Aluminum Body

IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	150xH225mm 88xH200mm 88xH600mm
CCT	:	3K

NL-2038

Aluminum Body

IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	H300mm H600mm H750mm
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-1028

Aluminum Body | IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D200xH200mm D200xH600mm D200xH750mm
CCT	:	3K

NL-1404

Aluminum Body | IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D88xH200mm D88xH600mm
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-1036

Aluminum Body
IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D150xH275mm D150xH600mm D150xH750mm
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-1038

Aluminum Body
IP65





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	275x250mm 225x200mm 225x600mm 225x750mm
CCT	:	3K

NL-8204

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	150xH350mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**12W**
Body Color	:	GREY
Dimension	:	150xH650mm
Beam Angle	:	120°
CCT	:	3K

NL-4031

Aluminum Body | IP65 | CRI>80+



Power	:	**24W**
Body Color	:	GREY
Dimension	:	250xH260mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**24W**
Body Color	:	GREY
Dimension	:	250xH600mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-5210

Aluminum Body | IP65 | CRI>80+





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D123xH300mm
CCT	:	3K

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D123xH600mm
CCT	:	3K

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	D123xH800mm
CCT	:	3K

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-71990

Aluminum Body | IP65 | CRI>80+





Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	80xH600mm
Beam Angle	:	120°
CCT	:	3K

NL-1456

Aluminum Body | IP65 | CRI>80+





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	165x200mm
CCT	:	3K

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	165x600mm
CCT	:	3K

NL-1270

Aluminum Body | IP65 | CRI>80+





Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	175xH240mm
CCT	:	3K

Power	:	**E27(Base)**
Body Color	:	GREY
Dimension	:	175xH600mm
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3712AL



Power	:	**12W**
Body Color	:	GREY
Dimension	:	230x212mm
Beam Angle	:	100°
CCT	:	3K

NL-3712 WL

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	180x111mm
Beam Angle	:	100°
CCT	:	3K

NL-3712

Aluminum Body | IP65 | CRI>80+







Power	:	**12W**	**12W**	**12W**
Body Color	:	GREY	GREY	GREY
Dimension	:	180x300mm	180x600mm	180x800mm
Beam Angle	:	100°	100°	100°
CCT	:	3K	3K	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-3921AL



Power	:	**12W**
Body Color	:	GREY
Dimension	:	230x185mm
Beam Angle	:	100°
CCT	:	3K

NL-3921 WL

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**
Body Color	:	GREY
Dimension	:	180x81mm
Beam Angle	:	100°
CCT	:	3K

NL-3921

Aluminum Body | IP65 | CRI>80+







Power	:	**12W**	**12W**	**12W**
Body Color	:	GREY	GREY	GREY
Dimension	:	180x300mm	180x600mm	180x800mm
Beam Angle	:	100°	100°	100°
CCT	:	3K	3K	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

NL-10818



Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	100xH500mm
Beam Angle	:	120°
CCT	:	3K

NL-25




Aluminum Body | IP65 | CRI>80+

Power	:	**7W**
Body Color	:	GREY
Dimension	:	165x300mm
Beam Angle	:	320°
CCT	:	3K

Power	:	**7W**
Body Color	:	GREY
Dimension	:	165x600mm
Beam Angle	:	320°
CCT	:	3K

NL-7050



Aluminum Body | IP65 | CRI>80+

Power	:	**2x12W**
Body Color	:	GREY
Dimension	:	160x85xH600mm
CCT	:	3K





Neptune® LIGHTS
ILLUMINATE YOUR LIFE


NL-36WL


Aluminum Body | IP65 | CRI>80+





Power	:	**7W(SQ)**
Body Color	:	GREY
Dimension	:	150x150xH45mm
Beam Angle	:	100°
CCT	:	3K







Power	:	**7W(RD)**
Body Color	:	GREY
Dimension	:	150xH45mm
Beam Angle	:	100°
CCT	:	3K



NL-36B





Power	:	**7W(SQ)**
Body Color	:	GREY
Dimension	:	150x150xH200mm 150x150xH600mm 150x150xH800mm
Beam Angle	:	120°
CCT	:	3K





Power	:	**7W(RD)**
Body Color	:	GREY
Dimension	:	150x150xH200mm 150x150xH600mm 150x150xH800mm
Beam Angle	:	120°
CCT	:	3K

NL-17

Aluminum Body | IP65 | CRI>80+











Power	:	**7W(RD)**	**7W(RD)**	**7W(SQ)**	**7W(SQ)**
Body Color	:	GREY	GREY	GREY	GREY
Dimension	:	108xH200mm	108xH600mm	108x108xH200mm	108x108xH600mm
Beam Angle	:	120°	120°	120°	120°
CCT	:	3K	3K	3K	3K

NL-1100

Aluminum Body | IP65 | CRI>80+



Power : 12W
Body Color : GREY
Dimension : 150x300mm
Beam Angle : 120°
CCT : 3K

Power : 12W
Body Color : GREY
Dimension : 150x600mm
Beam Angle : 120°
CCT : 3K

NL-15

Aluminum Body | IP65 | CRI>80+



Power : 7W
Body Color : GREY
Dimension : 150x150xH200mm
Beam Angle : 120°
CCT : 3K

Power : 7W
Body Color : GREY
Dimension : 150x150xH600mm
Beam Angle : 120°
CCT : 3K

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



NL-1114



Aluminum Body | IP65 | CRI>80+

Power	:	**12W**
Body Color	:	GREY
Dimension	:	150x300mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**12W**
Body Color	:	GREY
Dimension	:	150x600mm
Beam Angle	:	120°
CCT	:	3K


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-32

Aluminum Body | IP65 | CRI>90+







Power	:	**10W**
Body Color	:	GREY
Dimension	:	L108xH200mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**10W**
Body Color	:	GREY
Dimension	:	L108xH600mm
Beam Angle	:	120°
CCT	:	3K


Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-4721

Aluminum Body | IP65 | CRI>90+







Power	:	**10W**
Body Color	:	GREY
Dimension	:	80x120x600mm
Beam Angle	:	120°
CCT	:	3K

Power	:	**10W**
Body Color	:	GREY
Dimension	:	80x120x800mm
Beam Angle	:	120°
CCT	:	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-1220



Aluminum Body | IP65 | CRI>80+

Power	:	**50W**
Body Color	:	GREY
Dimension	:	400x250mm
Beam Angle	:	120°
CCT	:	3K

NL-1030

Aluminum Body | IP65 | CRI>80+



Power	:	**12W**	**50W**
Body Color	:	GREY	GREY
Dimension	:	D150x150xH230mm	425xH525mm
Beam Angle	:	120°	120°
CCT	:	3K	3K

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-5180



Aluminum Body | IP65 | CRI>80+

Power	:	**50W**
Body Color	:	GREY
Dimension	:	D325xH460mm
Beam Angle	:	120°
CCT	:	3K



NL-9020



Aluminum Body | IP65 | CRI>80+

Power	:	**20W**
Body Color	:	GREY
Dimension	:	250x350x265mm
Beam Angle	:	120°
CCT	:	3K


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE



NL-PL7001

Aluminum Body | IP65 | CRI>80+

Power	:	**60W**
Body Color	:	GREY
Dimension	:	465x422x2500mm (2.5MTR)
Beam Angle	:	120°
CCT	:	3K



NL-PL7002

Aluminum Body | IP65 | CRI>80+

Power	:	**60W**
Body Color	:	GREY
Dimension	:	492x452x2500mm (2.5MTR)
Beam Angle	:	120°
CCT	:	3K

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE



FLUXO(S)

Aluminum Body | IP65 | CRI>80+



Power	:	**20W**	**30W**
Body Color	:	GREY	GREY
Dimension	:	245x90x53mm	295x95x53mm
Beam Angle	:	110°	110°
CCT	:	3K/6K	3K/6K

Power	:	**50W**	**100W**
Body Color	:	GREY	GREY
Dimension	:	380x105x73mm	435x125x73mm
Beam Angle	:	110°	110°
CCT	:	3K/6K	3K/6K

VITARA

Aluminum Body | IP65 | CRI>80+



Power	:	**24W**	**36W**
Body Color	:	GREY	GREY
Beam Angle	:	110°	110°
CCT	:	3K/6K	3K/6K

Power	:	**50W**	**72W**
Body Color	:	GREY	GREY
Beam Angle	:	110°	110°
CCT	:	3K/6K	3K/6K

Power	:	**100W**
Body Color	:	GREY
Beam Angle	:	110°
CCT	:	3K/6K

FLUXO-F

Aluminum Body | IP65 | CRI>80+







Power	:	**50W**	**100W**	**200W**
Body Color	:	GREY	GREY	GREY
Dimension	:	176x135x25mm	241x185x25mm	350x225x25mm
Beam Angle	:	110°	110°	110°
CCT	:	3K/6K	3K/6K	3K/6K

XETA

Aluminum Body | IP65 | CRI>80+



Power	:	**15W**	**30W**	
Body Color	:	BLACK	BLACK	
Beam Angle	:	110°	110°	
CCT	:	3K/6K	3K/6K	
Power	:	**60W**	**100W**	
Body Color	:	BLACK	BLACK	
Beam Angle	:	110°	110°	
CCT	:	3K/6K	3K/6K	
Power	:	**150W**	**200W**	
Body Color	:	BLACK	BLACK	
Beam Angle	:	110°	110°	
CCT	:	3K/6K	3K/6K	

NL-UW01

Aluminum Body | IP68 | CRI>80+





Power	:	**6W**	**12W**	**18W**
Body Color	:	SS	SS	SS
Dimension	:	180x45mm	230x55mm	295x80mm
Beam Angle	:	30°	30°	30°
CCT	:	3K(DC 24V) / RGB (AC 12V)	3K(DC 24V) / RGB (AC 12V)	3K(DC 24V) / RGB (AC 12V)


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

Neptune® LIGHTS
ILLUMINATE YOUR LIFE

NL-UW02

Aluminum Body | IP 68 Ip68 | CRI>80+





Power : **7W**
Body Color : SS
Dimension : D120xH105mm
Beam Angle : 30°
CCT : 3K(DC 24V)



Power : **12W**
Body Color : SS
Dimension : D150xH105mm
Beam Angle : 30°
CCT : 3K(DC 24V) / RGB (AC 12V)



Power : **18W**
Body Color : SS
Dimension : D170xH123mm
Beam Angle : 30°
CCT : 3K(DC 24V) / RGB (AC 12V)



Power : **24W**
Body Color : SS
Dimension : D180xH123mm
Beam Angle : 30°
CCT : 3K(DC 24V)

NL-UW03

Aluminum Body | IP 68 Ip68 | CRI>80+





Power : **7W**
Body Color : SS
Dimension : D120xH118mm
Beam Angle : 30°
CCT : 3K(DC 24V)



Power : **12W**
Body Color : SS
Dimension : D145xH122mm
Beam Angle : 30°
CCT : 3K(DC 24V) / RGB (AC 12V)



Power : **18W**
Body Color : SS
Dimension : D170xH123mm
Beam Angle : 30°
CCT : 3K(DC 24V) / RGB(AC 12V)




Power : **24W**
Body Color : SS
Dimension : D190xH123mm
Beam Angle : 30°
CCT : 3K(DC 24V)


Neptune®
LIGHTS
ILLUMINATE YOUR LIFE
www.neptunelightsindia.com

NL-UW04


Aluminum Body | IP68 | CRI>80+





Power	:	**6W(DC 24V)**
Body Color	:	SS
Dimension	:	D130xH71mm
Nozzle Size	:	Ø25mm
Beam Angle	:	30°
CCT	:	3K(DC 24V) / RGB-AUTO (AC 12V)





Power	:	**12W(DC 24V)**
Body Color	:	SS
Dimension	:	D170xH80mm
Nozzle Size	:	Ø35mm
Beam Angle	:	30°
CCT	:	3K(DC 24V) / RGB-AUTO (AC 12V)

WATERPROOF JOINTER





TRANSFORMER

(POWER SUPPLY AC-12V)




Power : 60VA
Body Color : BK

Power : 80VA
Body Color : BK

Power : 150VA
Body Color : BK

Signature Collection

CRAFTED WITH PRECISION.
DEFINED BY PERFORMANCE.


6:36
Neptune Air App
NeptuneLIGHTS
ILLUMINATE YOUR LIFE
Download catalogue
Download on the APP Store
Download for Android
Control Board
Me
NeptuneAir
©Powered By Neptune Lights
www.neptunelightsindia.com
V1.1.0



TERMS & CONDITIONS:

- All content, images, designs, and product information are the exclusive property of Neptune Lights.
- Unauthorized copying, reproduction, or use is strictly prohibited.
- Any misuse of catalogue content may result in legal action.
- Product specifications are subject to change without notice.
- Jurisdiction: Ahmedabad, Gujarat, India.

© 2026 Neptune Lights. All Rights Reserved.

www.neptunelightsindia.com

Neptune®
LIGHTS
ILLUMINATE YOUR LIFE

www.neptunelightsindia.com